

**Miscellaneous Administrative**

PM 21 WAS ELIMINATED WITH THE 6 MONTH REVIEW - EFFECTIVE 7/12/00

<b>22. Measurement</b>	
<b>Local Service Center (LSC) Grade Of Service (GOS)</b>	
<b>Definition:</b>	
Percent of calls answered by the Local Service Center (LSC) within 20 seconds.	
<b>Exclusions:</b>	
<ul style="list-style-type: none"> <li>Excludes Weekends and Holidays.</li> </ul>	
<b>Business Rules:</b>	
<p>The clock starts when the customer enters the queue and the clock stops when a SWBT representative answers the call. The speed of answer is determined by measuring and accumulating the elapsed time from the entry of a CLEC customer call into the SWBT call management system queue until the CLEC customer call is transferred to SWBT personnel assigned to handling CLEC calls for assistance. Data is accumulated from 12:00 a.m. on the first calendar day to 11:59 p.m. on the last calendar day of the month for the reporting period. Hours of operation are 8:00 a.m. to 5:30 p.m. Monday through Friday.</p>	
<b>Levels of Disaggregation:</b>	
<ul style="list-style-type: none"> <li>By SWBT LSC</li> </ul>	
<b>Calculation:</b>	<b>Report Structure:</b>
$\frac{\text{Total number of calls answered by the LSC within a specified period of time}}{\text{Total number of calls answered by the LSC}}$	Reported for all calls to the LSC by operational separation and SWBT.
<b>Measurement Type:</b>	
Tier 1 – None Tier 2 – High	
<b>Benchmark:</b>	
Parity with SWBT RSC / BSC	

<b>23. Measurement</b>	
<b>Percent Busy in the Local Service Center (LSC)</b>	
<b>Definition:</b>	
Percent of calls which are unable to reach the Local Service Center (LSC) due to a busy condition in the ACD.	
<b>Exclusions:</b>	
See Measurement No. 22	
<b>Business Rules:</b>	
Blocked calls are those which are unable to reach the Local Service Center (LSC) due to a busy condition in the ACD.	
<b>Levels of Disaggregation:</b>	
See Measurement No. 22	
<b>Calculation:</b>	<b>Report Structure:</b>
(Count of blocked calls ÷ total calls offered) * 100	Reported for all CLECs and SWBT.
<b>Measurement Type:</b>	
Tier 1 – None	
Tier 2 – Low	
<b>Benchmark:</b>	
Parity with SWBT RSC / BSC	

PM 24 WAS ELIMINATED WITH THE 6 MONTH REVIEW - EFFECTIVE 7/12/00

<b>25. Measurement</b>	
<b>Local Operations Center (LOC) Grade Of Service (GOS)</b>	
<b>Definition:</b>	
Percent of calls answered by the Local Operations Center (LOC) within 20 seconds	
<b>Exclusions:</b>	
<ul style="list-style-type: none"> <li>• None</li> </ul>	
<b>Business Rules:</b>	
<p>The clock starts when the customer enters the queue and the clock stops when the SWBT representative answers the call. The speed of answer is determined by measuring and accumulating the elapsed time from the entry of a CLEC customer call into the SWBT call management system queue until the CLEC customer call is transferred to SWBT personnel assigned to handling CLEC calls for assistance. Data is accumulated from 12:00 a.m. on the first calendar day to 11:59 p.m. on the last calendar day of the month for the reporting period. The Measure includes calls to the LOC related to provisioning activities, e.g., coordinated conversions, as well as maintenance activities.</p>	
<b>Levels of Disaggregation:</b>	
<ul style="list-style-type: none"> <li>• Maintenance Calls (i.e., calls to 1-800-220-4818)</li> <li>• Provisioning Calls – DSL (i.e., calls to 1-817-212-5900)</li> <li>• Provisioning Calls – All other (i.e., calls to Resale:1-817-212-5598 calls to Interconnection: 1-817-212-5588)</li> </ul> <p>(The above telephone numbers are subject to change, but notification will be made via an Accessible Letter.)</p>	
<b>Calculation:</b>	<b>Report Structure:</b>
Total number of calls answered by the LOC 20 seconds ÷ total number of calls answered by the LOC	Reported for all calls to the LOC by operational separation and SWBT Retail Repair Bureau (CSB) for maintenance calls.
<b>Measurement Type:</b>	
Tier 1 – None Tier 2 – High	
<b>Benchmark:</b>	
<ul style="list-style-type: none"> <li>• Maintenance Calls – Parity with CSB</li> <li>• Provisioning Calls DSL – 90% within 20 seconds – critical z-value applies.</li> <li>• Provisioning Calls All Other – 90% within 20 seconds – critical z-value applies.</li> </ul>	

<b>26. Measurement</b>	
<b>Percent Busy in the Local Operations Center (LOC)</b>	
<b>Definition:</b>	
Percent of calls which are unable to reach the Local Operations Center (LOC) due to a busy condition in the ACD.	
<b>Exclusions:</b>	
<ul style="list-style-type: none"> <li>• None</li> </ul>	
<b>Business Rules:</b>	
Blocked calls are calls those, which are unable to reach the Local Operations Center (LOC) due to a busy condition in the ACD.	
<b>Levels of Disaggregation:</b>	
<ul style="list-style-type: none"> <li>• Maintenance Calls (i.e., calls to 1-800-220-4818)</li> <li>• Provisioning Calls – DSL (i.e., calls to 1-817-212-5900)</li> <li>• Provisioning Calls – All other (i.e., calls to Resale: 1-817-212-5598 calls to Interconnection: 1-817-212-5588)</li> </ul> <p>(The above telephone numbers are subject to change, but notification will be made via an Accessible Letter.)</p>	
<b>Calculation:</b>	<b>Report Structure:</b>
(Count of blocked calls ÷ total calls offered) * 100	Reported for all CLECs and SWBT.
<b>Measurement Type:</b>	
Tier 1 – None Tier 2 – Low	
<b>Benchmark:</b>	
<ul style="list-style-type: none"> <li>• Maintenance Calls – Parity with CSB</li> <li>• Provisioning Calls DSL – 1% - critical z-value applies</li> <li>• Provisioning Calls All Other – 1% - critical z-value applies</li> </ul>	

## **RESALE POTS AND UNE LOOP AND PORT COMBINATIONS COMBINED BY SWBT**

### **Provisioning**

<b>27. Measurement</b>	
<b>Mean Installation Interval</b>	
<b>Definition:</b>	
Average business days from application date to completion date.	
<b>Exclusions:</b>	
<ul style="list-style-type: none"> <li>• Excludes customer-caused misses.</li> <li>• Field Work orders – excludes customer requested due dates greater than 5 business days.</li> <li>• No Field Work orders – excluded if order applied for before 3:00 p.m.; and the due date requested is not same day; and if order applied for after 3:00 p.m.; and the due date requested is beyond the next business day.</li> <li>• Excludes all orders except N, T, and C orders.</li> <li>• Excludes Weekends and Holidays.</li> <li>• Excludes expedites for which the CLEC pays.</li> </ul>	
<b>Business Rules:</b>	
<p>The clock starts on the Application Date, which is the day that SWBT receives a correct Service Order (EASE) / LSR (LEX or EDI). The clock stops on the Completion Date, which is the day that SWBT personnel complete the service order activity. Orders are included in the month they are completed. There are 2 types of orders in the measurement. Same Day Due orders (defined as distribution time EQUAL or BEFORE 3:00 p.m. and Application Date = Distribution Date = Due Date. Next Day Due orders (defined as distribution time AFTER 3:00 p.m. and Application Date = Distribution Date and Due Date is one business day after Application Date. If the order is Same Day Due, then (Completion – Application Date), if the order is Next Day Due, then [(Completion – Next Business Day) + 1]. UNE Combinations, are reported at order level.</p>	
<b>Levels of Disaggregation:</b>	
<b>POTS</b> <ul style="list-style-type: none"> <li>• Field Work (FW)</li> <li>• No Field Work (NFW)</li> <li>• Business class of service</li> <li>• Residence class of service</li> </ul> <b>UNE Combination</b> <ul style="list-style-type: none"> <li>• Field Work (FW)</li> <li>• No Field Work (NFW)</li> </ul>	
<b>Calculation:</b>	<b>Report Structure:</b>

$\frac{[\sum(\text{completion date} - \text{application date})]}{(\text{Total number of orders completed})}$	Reported for CLEC, all CLECs and SWBT.
<b>Measurement Type:</b>	
Tier 1 – High Tier 2 – High	
<b>Benchmark:</b>	
Resale POTS parity between Field Work compared to SWBT Field Work (N, T, C order types) and No Field Work compared to SWBT Retail No Field Work (N, T, C order types). UNE Combination Parity between Field Work compared to SWBT Field Work (N, T, C order types) and No Field Work compared to SWBT Retail No Field Work (N, T, C order types).	

(68)



28. Measurement
Percent POTS/UNE-P Installations Completed Within the customer requested due date.
<b>Definition:</b>
Measure of orders completed within the customer requested due date when that date is greater than or equal to the offered interval or if expedited (accepted or not accepted), the date agreed to by SWBT.
<b>Exclusions:</b>
<ul style="list-style-type: none"> <li>• Excludes customer caused misses.</li> <li>• Excludes all orders except N, T, and C orders.</li> <li>• Excludes Weekends and Holidays.</li> </ul>
<b>Business Rules:</b>
<p>The clock starts on the Application Date, which is the day that SWBT receives a correct Service Order (EASE) / LSR (LEX or EDI). The clock stops on the Completion Date which is the day that SWBT personnel complete the service order activity. Orders are included in the month they are completed. There are 2 types of orders in the measurement. Same Day Due orders (defined as distribution time EQUAL or BEFORE 3:00 p.m. and Application Date = Distribution Date = Due Date. Next Day Due orders (defined as distribution time AFTER 3:00 p.m. and Application Date = Distribution Date and Due Date is one business day after Application Date. If the order is Same Day Due, then (Completion – Application Date), if the order is Next Day Due, then [(Completion – Next Business Day) + 1]. UNE Combinations, are reported at order level.</p> <p>Due dates for Field Work orders are determined by the offered interval on the due date board at the time that the order is distributed, unless an expedite has been accepted by SWBT. If the CLEC submits an expedite which is not accepted or the LSR contains an invalid due date, the SWBT agreed to due date will be substituted for the customer requested due date and included in this measure.</p> <p>Due dates for No Field Work Orders will be the due date requested on the LSR, except that, for a No Field Work Order submitted after 3:00 p.m. and the due date requested is the same business day, the due date will be the next business day, unless an expedite has been accepted by SWBT.</p> <p>SWB will provide a diagnostic measure as to how often due date on FOC changes from requested. This will be in the form of a monthly report of the percentage of CLEC requested due dates which are confirmed by FOC, reported separately for resale and for UNE-P if technically feasible. (including/disaggregated by both Field Work and No Field Work orders).</p>

Levels of Disaggregation	
POTS <ul style="list-style-type: none"> <li>• Field Work (FW)</li> <li>• No Field Work (NFW)</li> <li>• Business class of service</li> <li>• Residence class of service</li> </ul> UNE Combination <ul style="list-style-type: none"> <li>• Field Work (FW)</li> <li>• No Field Work (NFW)</li> </ul>	
Calculation	Report Structure
$\frac{\text{(Count of orders installed within the requested interval} \div \text{total number of orders not subject to exclusions)}}{100}$	Reported for CLEC, all CLECs and SWBT.
Measurement Type	
Tier 1 – None Tier 2 – None	
Benchmark	
Resale POTS parity between Field Work compared to SWBT Field Work (N, T, C order types) and No Field Work compared to SWBT Retail No Field Work (N, T, C order types). UNE Combination Parity between Field Work compared to SWBT Field Work (N, T, C order types) and No Field Work compared to SWBT Retail No Field Work (N, T, C order types).	

29. Measurement	
Percent SWBT Caused Missed Due Dates	
Definition:	
Percent of N, T, and C orders where installation was not completed by the due date as a result of a SWBT caused missed due date.	
Exclusions:	
<ul style="list-style-type: none"> <li>Excludes orders that are not N, T, or C.</li> </ul>	
Business Rules:	
The due date is the negotiated date by the customer and the SWBT representative for service activation. For CLEC orders, the due date is the due date reflected on the FOC. The Completion Date is the day that SWBT personnel complete the UNE Combinations, are reported at order level. This measure includes in both the numerator and the denominator the number of orders cancelled after a SWBT-caused missed due date.	
Levels of Disaggregation:	
<p>POTS</p> <ul style="list-style-type: none"> <li>Field Work (FW)</li> <li>No Field Work (NFW)</li> <li>Business class of service</li> <li>Residence class of service</li> </ul> <p>UNE Combination</p> <ul style="list-style-type: none"> <li>Field Work (FW)</li> <li>No Field Work (NFW)</li> </ul>	
Calculation:	Report Structure:
(Count of N, T, C orders not completed by the due date or cancelled after the due date as a result of a SWBT cause ÷ total number of orders plus total cancels after the due date as a result of SWBT caused missed due dates) * 100	Reported for CLEC, all CLECs and SWBT.
Measurement Type:	
<p>Tier 1 – High</p> <p>Tier 2 – High</p>	
Benchmark:	
Resale POTS parity between Field Work compared to SWBT Field Work (N, T, and C order types) and No Field Work compared to SWBT Retail No Field Work (N, T, and C order types). UNE Combination Parity between Field Work compared to SWBT Field Work (N, T, and C order types) and No Field Work compared to SWBT Retail No Field Work. (N, T, and C order types).	

<b>30. Measurement</b>	
<b>Percent Company Missed Due Dates Due To Lack Of Facilities</b>	
<b>Definition:</b>	
Percent N, T, and C orders with missed committed due dates due to lack of facilities.	
<b>Exclusions:</b>	
Excludes orders that are not N, T, or C.	
<b>Business Rules:</b>	
<p>The Due Date is the customer requested due date when that date is greater than or equal to the offered interval, or if expedited (accepted or not accepted), the date agreed to by SWBT which is the due date reflected on the FOC. The Completion Date is the day that SWBT personnel complete the service order activity.</p> <p>UNE Combinations are reported at order level. The lack of facilities is selected based on the missed reason code.</p>	
<b>Levels of Disaggregation:</b>	
<p>POTS</p> <ul style="list-style-type: none"> <li>• Business class of service</li> <li>• Residence class of service</li> </ul> <p>POTS / UNE Combination</p> <ul style="list-style-type: none"> <li>• &gt; 30 calendar days</li> <li>• &gt; 90 calendar days</li> </ul>	
<b>Calculation:</b>	<b>Report Structure:</b>
(Count of orders with missed due dates due to lack of facilities ÷ total orders completed) * 100 (Calculated monthly based on posted orders)	Reported for CLEC, all CLECs and SWBT Retail for POTS.
<b>Measurement Type:</b>	
<p>Tier 1 – None</p> <p>Tier 2 – None</p>	
<b>Benchmark:</b>	
<p>Resale POTS parity compared to SWBT (N, T, and C order types). UNE Combination Parity compared to SWBT (N, T, C order types).</p>	

<b>31. Measurement</b>	
<b>Average Delay Days For Missed Due Dates Due To Lack Of Facilities</b>	
<b>Definition:</b>	
Average calendar days from due date to completion date on company missed orders due to lack of facilities.	
<b>Exclusions:</b>	
<ul style="list-style-type: none"> <li>• Excludes orders that are not N, T, or C.</li> <li>• Excludes No Field Work (NFW).</li> </ul>	
<b>Business Rules:</b>	
<p>The Due Date is the customer requested due date when that date is greater than or equal to the offered interval, or if expedited (accepted or not accepted), the date agreed to by SWBT which is the due date reflected on the FOC. The Completion Date is the day that SWBT personnel complete the service order activity.</p> <p>UNE Combinations are reported by the order which completes the service activity. The lack of facilities is based on the missed reason code.</p>	
<b>Levels of Disaggregation:</b>	
<p>POTS</p> <ul style="list-style-type: none"> <li>• Business class of service</li> <li>• Residence class of service</li> </ul> <p>UNE Combination - None</p>	
<b>Calculation:</b>	<b>Report Structure:</b>
$\frac{\Sigma(\text{Completion date} - \text{due date})}{(\text{total \# of completed orders with a SWBT caused missed due date due to lack of facilities})}$	Reported for CLEC, all CLECs and SWBT.
<b>Measurement Type:</b>	
<p>Tier 1 – None</p> <p>Tier 2 – None</p>	
<b>Benchmark:</b>	
<p>Resale POTS parity between compared to SWBT (N, T, and C order types). UNE Combinations Parity between compared to SWBT (N, T, and C order types).</p>	

32. Measurement	
Average Delay Days For SWBT Caused Missed Due Dates.	
Definition:	
Average calendar days from due date to completion date on company missed orders.	
Exclusions:	
<ul style="list-style-type: none"> <li>Excludes orders that are not N, T, or C.</li> <li>Excludes company delayed orders as a result of lack of facilities.</li> </ul>	
Business Rules:	
<p>The Due Date is the customer requested due date when that date is greater than or equal to the offered interval, or if expedited (accepted or not accepted), the date agreed to by SWBT which is the due date reflected on the FOC. The Completion Date is the day that SWBT personnel complete the service order activity. Combinations are reported by the order that completes the service activity.</p>	
Levels of Disaggregation:	
<p>POTS</p> <ul style="list-style-type: none"> <li>Field Work (FW)</li> <li>No Field Work (NFW)</li> <li>Business class of service</li> <li>Residence class of service</li> </ul> <p>UNE Combination</p> <ul style="list-style-type: none"> <li>Field Work (FW)</li> <li>No Field Work (NFW)</li> </ul>	
Calculation:	Report Structure:
$\frac{\Sigma(\text{Completion date} - \text{due date})}{(\text{total \# of completed orders with a SWBT caused missed due date})}$	Reported for CLEC, all CLECs and SWBT.
Measurement Type:	
<p>Tier 1 – Medium</p> <p>Tier 2 – None</p>	
Benchmark:	
<p>Resale POTS parity between Field Work compared to SWBT Field Work (N, T, and C order types) and No Field Work compared to SWBT Retail No Field Work (N, T, and C order types). UNE Combination Parity between Field Work compared to SWBT Field Work (N, T, and C order types) and No Field Work compared to SWBT Retail No Field Work (N, T, and C order types).</p>	

PM 33 WAS ELIMINATED WITH THE 6 MONTH REVIEW - EFFECTIVE 7/12/00

PM 34 WAS ELIMINATED WITH THE 6 MONTH REVIEW - EFFECTIVE 7/12/00



35. Measurement	
Percent POTS/UNE-P Trouble Report Within 10 Days (I-10) of Installation	
Definition:	
Percent of N, T, C orders that receive an electronic or manual trouble report on or within 10 calendar days of service order completion.	
Exclusions:	
<ul style="list-style-type: none"> <li>Excludes subsequent reports. A subsequent report is a repair report that is received while an existing repair report is open on the same number.</li> <li>Excludes disposition code "13" reports (excludable reports), with the exception of code 1316, unless the trouble report is taken prior to completion of the service order.</li> <li>Excludes reports caused by customer provided equipment (CPE) or wiring.</li> <li>Excludes trouble report received on the due date before service order completion.</li> </ul>	
Business Rules:	
Includes reports received the day after SWBT personnel complete the service order through 10 calendar days after completion. The denominator for this measure is the total count of orders posted within the reporting month. (However, the denominator will at a minimum equal the numerator). The numerator is the number of trouble reports received within 10 days of service order completion. These will be reported the month that they are closed. This will include troubles taken on the day of completion found to be as a result of a UNE-P conversion.	
Levels of Disaggregation:	
N, T and C Orders POTS <ul style="list-style-type: none"> <li>Field Work (FW)</li> <li>No Field Work (NFW)</li> <li>Business class of service</li> <li>Residence class of service</li> </ul> UNE Combination <ul style="list-style-type: none"> <li>Field Work (FW)</li> <li>No Field Work (NFW)</li> </ul>	
Calculation:	Report Structure:
(Count of initial electronic or manual trouble reports on or within 10 calendar days of service order completion ÷ total # of orders) * 100	Reported for POTS Resale by CLEC, total CLECs and SWBT.
Measurement Type:	
Tier 1 – High Tier 2 – High	

**Benchmark**

Resale POTS parity between Field Work compared to SWBT Field Work (N, T, and C order types) and No Field Work compared to SWBT Retail No Field Work (N, T, and C order types). UNE Combination Parity between Field Work compared to SWBT Field Work (N, T, and C order types) and No Field Work compared to SWBT Retail No Field Work (N, T, and C order types).

<b>35.1 Measurement (New Measure)</b>	
<b>Percent UNE-P Trouble Reports On the Completion Date</b>	
<b>Definition:</b>	
Percent of C orders for UNE-P conversions that receive an electronic or manual trouble report on the day of completion.	
<b>Exclusions:</b>	
<ul style="list-style-type: none"> <li>Excludes subsequent reports. A subsequent report is a repair report that is received while an existing repair report is open on the same number.</li> <li>Excludes disposition code "13" reports (excludable reports), with the exception of code 1316.</li> <li>Excludes reports caused by customer provided equipment (CPE) or wiring.</li> </ul>	
<b>Business Rules:</b>	
Includes reports received on the day of completion for UNE-P conversion orders. The denominator for this measure is the total count of UNE-P orders posted within the reporting month. The numerator is the number of trouble reports received at any time on the day of completion. These will be reported the month that the trouble report is closed.	
<b>Levels of Disaggregation:</b>	
<ul style="list-style-type: none"> <li>UNE –P No Field Work (NFW)</li> </ul>	
<b>Calculation:</b>	<b>Report Structure:</b>
(Count of initial electronic or manual trouble reports on or within 10 calendar days of service order completion ÷ total # of orders) * 100	Reported for POTS Resale by CLEC, total CLECs and SWBT.
<b>Measurement Type:</b>	
Tier 1 – None Tier 2 – None	
<b>Benchmark:</b>	
Diagnostic. The results of this measurement are included in PM 35. Damages and assessments will be paid based on the PM 35 results.	

<b>36. Measurement</b>	
<b>Percent No Access (Service Orders With No Access)</b>	
<b>Definition:</b>	
Percent of Field Work (FW) orders with a status of "No Access."	
<b>Exclusions:</b>	
<ul style="list-style-type: none"> <li>Excludes customer caused misses. (SL – customer requests later date, SO – other customer reasons, SR – customer not ready).</li> <li>Excludes all orders that are not N, T, or C.</li> <li>No Field Work.</li> </ul>	
<b>Business Rules:</b>	
SWBT personnel set the "No Access" flag when access cannot be obtained to the customer's premises.	
<b>Levels of Disaggregation:</b>	
POTS <ul style="list-style-type: none"> <li>Business class of service</li> <li>Residence class of service</li> </ul> UNE Combination - None	
<b>Calculation:</b>	<b>Report Structure:</b>
Count of orders that are No Access ÷ Total Field Work orders	Reported for CLEC, total CLECs and SWBT.
<b>Measurement Type:</b>	
Tier 1 – None Tier 2 – None	
<b>Benchmark:</b>	
Resale POTS parity between Field Work compared to SWBT Field Work (N, T, and C order types). UNE Combination Parity between Field Work compared to SWBT Field Work (N, T, and C order types).	

**Maintenance**

<b>37. Measurement</b>	
Trouble Report Rate	
<b>Definition:</b>	
The number of electronic or manual customer trouble reports per 100 lines.	
<b>Exclusions:</b>	
<ul style="list-style-type: none"> <li>Excludes reports caused by customer provided equipment (CPE) or wiring.</li> <li>Excludes all disposition "13" reports (excludable reports), with the exception of code 1316, unless the report is taken prior to completion of the service order.</li> </ul>	
<b>Business Rules:</b>	
CLEC and SWBT repair reports are entered into and tracked via WFA. They are downloaded nightly into LMOS. Reports are counted in the month they post to LMOS.	
<b>Levels of Disaggregation:</b>	
POTS <ul style="list-style-type: none"> <li>Business class of service</li> <li>Residence class of service</li> </ul> UNE Combination - None	
<b>Calculation:</b>	<b>Report Structure:</b>
$\text{[Total number of customer trouble reports} \div \text{(total lines} \div 100)]$	Reported for POTS Resale trouble reports by CLEC, all CLECs and SWBT.
<b>Measurement Type:</b>	
Tier 1 – None Tier 2 – None	
<b>Benchmark:</b>	
POTS – Parity with SWBT Retail. UNE Combination – Parity with SWBT Business and Residence combined.	

<b>37.1 Measurement (New Measure)</b>	
Trouble Report Rate net of installation and repeat reports	
<b>Definition:</b>	
The number of electronic or manual customer trouble reports per 100 lines.	
<b>Exclusions:</b>	
<ul style="list-style-type: none"> <li>Excludes reports caused by customer provided equipment (CPE) or wiring.</li> <li>Excludes all disposition "13" reports (excludable reports)</li> <li>Excludes trouble reports included in PM 35.</li> <li>Excludes trouble reports included in PM 41.</li> </ul>	
<b>Business Rules:</b>	
CLEC and SWBT repair reports are entered into and tracked via WFA. They are downloaded nightly into LMOS. Reports are counted in the month they post to LMOS.	
<b>Levels of Disaggregation:</b>	
POTS <ul style="list-style-type: none"> <li>Business class of service</li> <li>Residence class of service</li> </ul> UNE Combination - None	
<b>Calculation:</b>	<b>Report Structure:</b>
$\left[ \frac{\text{Total number of customer trouble reports}}{\text{total lines} \div 100} \right]$	Reported for POTS Resale trouble reports by CLEC, all CLECs and SWBT.
<b>Measurement Type:</b>	
Tier 1 – High Tier 2 – High	
<b>Benchmark:</b>	
POTS – Parity with SWBT Retail. UNE Combination – Parity with SWBT Business and Residence combined.	

38. Measurement	
Percent Missed Repair Commitments	
Definition:	
Percent of trouble reports not cleared by the commitment time.	
Exclusions:	
<ul style="list-style-type: none"> <li>Excludes all disposition code "13" reports (excludable reports), with the exception of code 1316, unless the report is taken prior to the completion of the service order.</li> </ul>	
Business Rules:	
<p>The commitment date and time is established when the repair report is received. The cleared time is the date and time that SWBT personnel clear the repair activity and complete the trouble report. If this is after the commitment time, the report is flagged as a "Missed Commitment."</p>	
Levels of Disaggregation:	
<p>POTS</p> <ul style="list-style-type: none"> <li>Business class of service</li> <li>Residence class of service</li> <li>Dispatch</li> <li>No Dispatch</li> </ul> <p>UNE Combination</p> <ul style="list-style-type: none"> <li>Dispatch</li> <li>No Dispatch</li> </ul>	
Calculation	Report Structure
(Count of trouble reports not cleared by the commitment time ÷ total trouble reports) * 100	Reported for CLEC, all CLECs and SWBT.
Measurement Type:	
<p>Tier 1 – High</p> <p>Tier 2 – High</p>	
Benchmark:	
<p>POTS – Parity with SWBT Retail.</p> <p>UNE Combination – Parity with SWBT Business and Residence combined.</p>	

39 Measurement	
Mean time to restore	
Definition:	
Average duration of customer trouble reports from the receipt of the customer trouble report to the time the trouble report is cleared.	
Exclusions:	
<ul style="list-style-type: none"> <li>Excludes subsequent reports. A subsequent report is one that is received while an existing repair report is open.</li> <li>Excludes disposition code "13" reports (excludable reports), with the exception of code 1316, unless the report is taken prior to the completion of the service order.</li> </ul>	
Business Rules:	
The clock starts on the date and time SWBT receives a trouble report. The clock stops on the date and time that SWBT personnel clear the repair activity and complete the trouble report in WFA.	
Levels of Disaggregation:	
<p>POTS</p> <ul style="list-style-type: none"> <li>Business class of service</li> <li>Residence class of service</li> <li>Dispatch</li> <li>No Dispatch</li> <li>Affecting Service</li> <li>Out of Service</li> </ul> <p>UNE Combination</p> <ul style="list-style-type: none"> <li>Dispatch</li> <li>No Dispatch</li> <li>Affecting Service</li> <li>Out of Service</li> </ul>	
Calculation:	Report Structure:
$\frac{\sum[(\text{Date and time SWBT clears ticket with the CLEC}) - (\text{Date and time ticket received})]}{\text{Total customer trouble reports}}$	Reported for POTS Resale trouble reports by CLEC, all CLECs and SWBT.
Measurement Type:	
<p>Tier 1 – High</p> <p>Tier 2 – High</p>	
Benchmark:	
<p>POTS – Parity with SWBT Retail.</p> <p>UNE Combination – Parity with SWBT Business and Residence combined.</p>	



40 Measurement	
Percent Out Of Service (OOS) < 24 Hours	
Definition:	
Percent of OOS trouble reports cleared in less than 24 hours.	
Exclusions:	
<ul style="list-style-type: none"> <li>Excludes subsequent reports. A subsequent report is one that is received while an existing repair report is open.</li> <li>Excludes disposition code "13" reports (excludable reports), with the exception of code 1316, unless the report is taken prior to the completion of the service order.</li> <li>Excludes reports marked as "No Access" to customer premises.</li> <li>Excludes Affecting Service reports.</li> </ul>	
Business Rules:	
<p>Customer trouble reports are cleared within 24 hours when:</p> <ul style="list-style-type: none"> <li>The customer report is received Monday through Friday cleared within 24 hours.</li> <li>The customer report is received Saturday and cleared within 48 hours.</li> <li>The customer report is received Sunday and cleared before midnight Monday.</li> <li>Holidays are excluded.</li> </ul>	
Levels of Disaggregation:	
<p>POTS</p> <ul style="list-style-type: none"> <li>Business class of service</li> <li>Residence class of service</li> </ul> <p>UNE Combination - None</p>	
Calculation:	Report Structure:
$(\text{Count of OOS trouble reports} < 24 \text{ hours} \div \text{total number of OOS trouble reports}) * 100$	Reported by CLEC, all CLECs and SWBT.
Measurement Type:	
<p>Tier 1 – Medium</p> <p>Tier 2 – None</p>	
Benchmark:	
<p>POTS – Parity with SWBT Retail.</p> <p>UNE Combination – Parity with SWBT Business and Residence combined.</p>	

41. Measurement	
Percent Repeat Reports	
Definition:	
Percent of customer trouble reports received within 10 calendar days of a previous customer report.	
Exclusions:	
<ul style="list-style-type: none"> <li>Excludes subsequent reports. A subsequent report is one that is received while an existing repair report is open.</li> <li>Excludes disposition code "13" reports (excludable reports), with the exception of code 1316, unless the report is taken prior to the completion of the service order.</li> <li>Excludes reports caused by customer provided equipment (CPE) or wiring.</li> </ul>	
Business Rules:	
Includes customer trouble reports received within 10 calendar days of an original customer report. When the second report is received in 10 days, the original report is marked as an Original of a Repeat, and the second report is marked as a Repeat. If a third report is received within 10 days, the second report is marked as an Original of a Repeat as well as being a Repeat, and the third report is marked as a Repeat. In this case there would be two repeat reports.	
Levels of Disaggregation:	
POTS <ul style="list-style-type: none"> <li>Business class of service</li> <li>Residence class of service</li> </ul> UNE Combination - None	
Calculation:	Report Structure:
Count of customer trouble reports, not caused by CPE or wiring and excluding subsequent reports, received within 10 calendar days of a previous customer report ÷ total customer trouble reports not caused by CPE or wiring and excluding subsequent reports) * 100	Reported by CLEC, all CLECs and SWBT.
Measurement Type:	
Tier 1 – High Tier 2 – High	
Benchmark:	
POTS – Parity with SWBT Retail. UNE Combination – Parity with SWBT Business and Residence combined.	

PM 42 WAS ELIMINATED WITH THE 6 MONTH REVIEW - EFFECTIVE 7/12/00

## **RESALE SPECIALS AND UNE LOOP AND PORT COMBINATIONS COMBINED BY SWBT (EXCLUDES "ACCESS" ORDERS)**

### **Provisioning**

<b>43. Measurement</b>	
Average Installation Interval	
<b>Definition:</b>	
Average business days from application date to completion date for N, T, and C orders by circuit.	
<b>Exclusions:</b>	
<ul style="list-style-type: none"> <li>• UNE and Interconnection Trunks.</li> <li>• Excludes orders that are not N, T, or C.</li> <li>• Excludes circuits that have a customer requested Due Date greater than 20 business days.</li> <li>• Excludes Weekends and Holidays.</li> <li>• Excludes Customer Caused Misses</li> <li>• Excludes expedites for which the customer paid.</li> </ul>	
<b>Business Rules:</b>	
The Application Date is the day that the customer initiated the service request. The Completion Date is the day that SWBT personnel complete the service order activity by circuit. The base of items is out of WFA (Work Force Administration) and it is This measure is reported at a circuit level.	
<b>Levels of Disaggregation:</b>	
<ul style="list-style-type: none"> <li>• Resold Specials - DDS, DS1, DS3, Voice Grade Private Line (VGPL), ISDN - BRI, ISDN - PRI, DSL and any other services available for resale.</li> <li>• UNE Loop and Port - ISDN and other combinations.</li> </ul>	
<b>Calculation:</b>	<b>Report Structure:</b>
$[\sum(\text{completion date} - \text{application date})] \div (\text{Total number of circuits completed})$	Reported for CLEC, all CLECs and SWBT.
<b>Measurement Type:</b>	
Tier 1 – High Tier 2 – High	
<b>Benchmark:</b>	
Parity with SWBT Retail.	

44. Measurement	
Percent (Specials) Installations Completed Within The Customer Requested Due Date	
Definition:	
Measure of circuits completed within the customer requested due date when that date is greater than or equal to the standard offered interval as defined in the CLEC manual or if expedited (accepted or not accepted), the date agreed to by SWBT..	
Exclusions:	
<ul style="list-style-type: none"> <li>• UNE and Interconnection Trunks.</li> <li>• Excludes orders that are not N, T, or C.</li> <li>• Excludes Weekends and Holidays.</li> <li>• Excludes Customer Caused Misses</li> <li>• Excludes circuits requested for less than the standard offered interval</li> </ul>	
Business Rules:	
The Application Date is the day that the customer initiated the service request. The Completion Date is the day that SWBT personnel complete the service order activity by circuit. For orders requiring negotiated due dates, the negotiated due date will be considered the customer requested due date. This measure is reported at a circuit level.	
Levels of Disaggregation:	
<ul style="list-style-type: none"> <li>• Resold Specials - DDS, DS1, DS3, Voice Grade Private Line (VGPL), ISDN - BRI, ISDN - PRI, DSL and any other services available for resale.</li> <li>• UNE Loop and Port - ISDN and other combinations</li> </ul>	
Calculation:	Report Structure:
(Count of circuits installed within the customer requested due date ÷ total circuits) * 100	Reported for CLEC, all CLECs and SWBT.
Measurement Type:	
Tier 1 – None	
Tier 2 – None	
Benchmark:	
Parity with SWBT Retail.	

45 Measurement	
Percent SWBT Caused Missed Due Dates	
Definition:	
Percentage of N, T, and C orders by circuit where installations were not completed by the due date or were canceled after the due date that were caused by SWBT.	
Exclusions:	
<ul style="list-style-type: none"> <li>• UNE and Interconnection Trunks.</li> <li>• Excludes orders that are not N, T, or C.</li> <li>• Excludes customer caused misses.</li> </ul>	
Business Rules:	
<p>The Due Date is the negotiated date that is returned on the FOC by SWBT for service activation. The Completion Date is the day that SWBT personnel complete the service order activity. This measure includes in both the numerator and the denominator the number of orders canceled after a SWBT-caused missed due date. The source is WFA (Work Force Administration) and data is reported at a circuit level. Specials are selected based on a specific service code off of the circuit ID.</p>	
Levels of Disaggregation:	
See Measurement No. 43	
Calculation:	Report Structure:
<p>(Count of circuits with missed due dates or were canceled after the due date that were caused by SWBT excluding customer caused misses ÷ total number of circuits and those that were canceled after the due date that were caused by SWBT)</p> <p>* 100</p>	<p>Reported by CLEC, all CLECs and SWBT.</p>
Measurement Type:	
<p>Tier 1 – High</p> <p>Tier 2 – High</p>	
Benchmark:	
Parity with SWBT Retail.	

46. Measurement	
Percent Installation Reports (Trouble Reports) Within 30 Days (I-30) of Installation	
Definition:	
Percent of N, T, and C orders by circuit that receive a customer trouble report within 30 calendar days of service order completion.	
Exclusions:	
<ul style="list-style-type: none"> <li>• UNE and Interconnection Trunks.</li> <li>• Excludes orders that are not N, T, or C.</li> <li>• Excludes trouble report received on the due date before service order completion.</li> <li>• Excludes trouble tickets that are coded to Customer Premise Equipment, Interexchange Carrier/Competitive Access Provider, and Informational</li> </ul>	
Business Rules:	
A trouble report is counted if it is flagged on WFA (Work Force Administration) as a trouble report that had a service order completion within 30 days. It cannot be a repeat report. The order flagged against must be an addition in order for the trouble report to be counted. Specials are selected based on a specific service code off of the circuit ID. . The denominator for this measure is the total count of orders posted within the reporting month. (However, the denominator will at a minimum equal the numerator). The numerator is the number of trouble reports received within 30 days of service order completion and closed within the reporting month	
Levels of Disaggregation:	
See Measurement No. 43	
Calculation:	Report Structure:
[Count of circuits that receive a customer trouble report within 30 calendar days of service order completion ÷ total circuits (excludes trouble reports received on the due date)]* 100	Reported by CLEC, all CLECs and SWBT.
Measurement Type:	
Tier 1 – High Tier 2 – High	
Benchmark:	
Parity with SWBT Retail.	

47. Measurement	
Percent Missed Due Dates Due To Lack Of Facilities	
Definition:	
Percentage of N, T, and C orders by circuit with missed committed due dates due to lack of facilities.	
Exclusions:	
<ul style="list-style-type: none"> <li>• UNE and Interconnection Trunks.</li> <li>• Excludes orders that are not N, T, or C.</li> </ul>	
Business Rules:	
The Due Date starts the clock. The Completion Date is the day that SWBT personnel complete the service order activity, which stops the clock. The source is WFA (Work Force Administration) and is at an item or circuit level. Specials are selected based on a specific service code off of the circuit ID and by selected center names that indicate resale. The lack of facilities is selected based on the missed reason code.	
Levels of Disaggregation:	
<ul style="list-style-type: none"> <li>• See Measurement No. 43</li> <li>• Reported for &gt; 30 calendar days &amp; &gt; 90 calendar days.</li> </ul>	
Calculation	Report Structure
(Count of circuits with missed committed due dates due to lack of facilities ÷ total circuits) * 100	Reported for Specials Resale by CLEC, all CLECs and SWBT Retail.
Measurement Type:	
Tier 1 – None	
Tier 2 – None	
Benchmark:	
Parity with SWBT Retail.	



<b>48. Measurement</b>	
<b>Delay Days for Missed Due Dates Due to Lack Of Facilities</b>	
<b>Definition:</b>	
Average calendar days from due date to completion date on company missed circuit orders due to lack of facilities.	
<b>Exclusions:</b>	
<ul style="list-style-type: none"> <li>• UNE and Interconnection Trunks.</li> <li>• Excludes orders that are not N, T, or C.</li> </ul>	
<b>Business Rules:</b>	
The calculation is the difference in calendar days between the completion date and the due date. The source is WFA (Work Force Administration) and is at an item or circuit level. Specials are selected based on a specific service code off of the circuit ID and by selected center names that indicate resale. The lack of facilities is based on the missed reason code.	
<b>Levels of Disaggregation:</b>	
See Measurement No. 43	
<b>Calculation:</b>	<b>Report Structure:</b>
$\Sigma(\text{Completion date} - \text{Committed circuit due date}) \div (\# \text{ of completed circuits with SWBT caused missed due dates due to lack of facilities})$	Reported for CLEC, all CLECs and SWBT Retail Specials.
<b>Measurement Type:</b>	
Tier 1 – None	
Tier 2 – None	
<b>Benchmark:</b>	
Parity with SWBT Retail.	

<b>49. Measurement</b>	
<b>Delay Days For SWBT Caused Missed Due Dates</b>	
<b>Definition:</b>	
Average calendar days from due date to completion date on company missed circuit orders.	
<b>Exclusions:</b>	
<ul style="list-style-type: none"> <li>• Excludes UNE and Interconnection Trunks.</li> <li>• Excludes orders that are not N, T, or C.</li> <li>• Excludes Customer Caused Misses</li> </ul>	
<b>Business Rules:</b>	
The calculation is the difference in calendar days between the completion date and the due date. The source is WFA (Work Force Administration) and is reported at a circuit level. Specials are selected based on a specific service code off of the circuit ID.	
<b>Levels of Disaggregation:</b>	
See Measurement No. 43	
<b>Calculation:</b>	<b>Report Structure:</b>
$\Sigma(\text{Completion date} - \text{committed circuit due date}) \div (\# \text{ of posted} - \text{circuits with a SWBT caused missed due date})$	Reported by CLEC, all CLECs and SWBT Retail Specials.
<b>Measurement Type:</b>	
Tier 1 – Medium Tier 2 – None	
<b>Benchmark:</b>	
Parity with SWBT Retail.	

PM 50 WAS ELIMINATED WITH THE 6 MONTH REVIEW - EFFECTIVE 7/12/00

PM 51 WAS ELIMINATE WITH THE 6 MONTH REVIEW - EFFECTIVE 7/12/00

## Maintenance

NOTE: Specials are all treated as Out of Service repair reports. There is no classification or disaggregation of Affecting Service.

52. Measurement	
Mean Time To Restore	
<b>Definition:</b>	
Average duration in calendar days of customer trouble reports from the receipt of the customer trouble report to the time the trouble report is cleared.	
<b>Exclusions:</b>	
<ul style="list-style-type: none"> <li>• UNE and Interconnection Trunk.</li> <li>• No Access Time.</li> <li>• Delayed Maintenance Time.</li> <li>• Excludes trouble tickets that are coded to Customer Premise Equipment, Interexchange Carrier/Competitive Access Provider, and Informational</li> </ul>	
<b>Business Rules:</b>	
The start time is when the customer report is received and the stop time is when the report is closed. Specials are selected based on a specific service code off of the circuit ID.	
<b>Levels of Disaggregation:</b>	
See Measurement No. 43 <ul style="list-style-type: none"> <li>• No Dispatch</li> <li>• Dispatch</li> </ul>	
Calculation:	Report Structure:
$\frac{\sum[(\text{Date and time trouble report is cleared with the customer}) - (\text{date and time trouble report is received})]}{\text{total network customer trouble reports}}$	Reported by CLEC, all CLECs and SWBT.
Measurement Type:	
Tier 1 – High Tier 2 – High	
Benchmark:	
Parity with SWBT Retail.	

<b>53. Measurement</b>	
<b>Percent Repeat Reports</b>	
<b>Definition:</b>	
Percentage of customer trouble reports received within 30 calendar days of a previous customer report.	
<b>Exclusions:</b>	
<ul style="list-style-type: none"> <li>• UNE and Interconnection Trunk</li> <li>• Excludes trouble tickets that are coded to Customer Premise Equipment, Interexchange Carrier/Competitive Access Provider, and Informational</li> </ul>	
<b>Business Rules:</b>	
Includes customer trouble reports received within 30 calendar days of an original customer report. When the second report is received in 30 days, the original report is marked as an Original of a Repeat, and the second report is marked as a Repeat. If a third report is received within 30 days, the second report is marked as an Original of a Repeat as well as being a Repeat, and the third report is marked as a Repeat. In this case there would be two repeat reports.	
<b>Levels of Disaggregation:</b>	
See Measurement No. 43	
<b>Calculation:</b>	<b>Report Structure:</b>
(Count of customer trouble reports received within 30 calendar days of a previous customer report ÷ total network customer trouble reports) * 100	Reported by CLEC, all CLECs and SWBT.
<b>Measurement Type:</b>	
Tier 1 – High Tier 2 – High	
<b>Benchmark:</b>	
Parity with SWBT Retail.	

<b>54. Measurement</b>	
Trouble Report Rate	
<b>Definition:</b>	
The number of customer trouble reports within a calendar month per 100 circuits.	
<b>Exclusions:</b>	
<ul style="list-style-type: none"> <li>• UNE and Interconnection Trunks</li> <li>• Excludes trouble reports coded to Customer Premise Equipment, Interexchange Carrier/Competitive Access Provider, and Informational</li> </ul>	
<b>Business Rules:</b>	
CLEC and SWBT repair reports are entered into and tracked via WFA. Reports are counted in the month they post.	
<b>Levels of Disaggregation:</b>	
See Measurement No. 43	
<b>Calculation:</b>	<b>Report Structure:</b>
[Count of trouble reports ÷ (Total circuits ÷ 100)]	Reported by CLEC, all CLECs and SWBT.
<b>Measurement Type:</b>	
Tier 1 – Low	
Tier 2 – None	
<b>Benchmark:</b>	
Parity with SWBT Retail.	

**UNBUNDLED NETWORK ELEMENTS (UNES)****Provisioning**

<b>55. Measurement</b>	
Average Installation Interval	
<b>Definition:</b>	
Average business days from application date to completion date for N, T, and C orders excluding customer caused misses and customer requested due date greater than "X" business days. The "X" business days is determined based on quantity of UNE loops ordered and the associated standard interval.	
<b>Exclusions:</b>	
<ul style="list-style-type: none"> <li>• Specials and Interconnection Trunks.</li> <li>• Excludes UNE Combos captured in the POTS or Specials measurements.</li> <li>• Exclude orders that are not N, T, or C.</li> <li>• Excludes customer requested due dates greater than "X" business days as set out in benchmark measures below.</li> <li>• Excludes customer caused misses.</li> <li>• Excludes Weekends and Holidays.</li> <li>• Excludes circuits in PM 55.2</li> <li>• Excludes expedites for which the CLEC pays an expedite charge.</li> <li>• Excludes xDSL loops in PM 55.1.</li> </ul>	
<b>Business Rules:</b>	
The Application Date is the day that the customer initiated the service request. The Completion Date is the day that SWBT personnel complete the service order activity. The base of items is out of WFA (Work Force Administration) and it is reported at a circuit level (except 8.0dB loops at an order level.)	
<b>Levels of Disaggregation:</b>	
UNEs contained in the UNE price schedule, and/or agreed to by parties.	
<b>Calculation:</b>	<b>Report Structure:</b>
$[\Sigma(\text{completion date} - \text{application date})] \div (\text{Total number of circuits/orders completed})$	Reported for CLEC and all CLECs
<b>Measurement Type:</b>	
Benchmark Tier 1 – None Tier 2 – None	



**Benchmark:**

The standard offered interval is defined in business days as follows:

- Switch Ports – Analog Port – 3 Days
- Switch Ports – BRI Port (1-50) – 3 Days
- Switch Ports – BRI Port (50+) – 5 Days
- Switch Ports – PRI Port (1-20) – 5 Days
- Switch Ports – PRI Port (20+) – 10 Days
- DS1 Trunk Port (1 to 10) – 3 Days
- DS1 Trunk Port (11 to 20) – 5 Days
- DS1 Trunk Port (20+) – ICB
- Dark Fiber (1 to 10) – 5 Days
- Dark Fiber (11 to 20) – 7 Days
- Dark Fiber (20+) – 10 Days
- Dedicated Transport (DS0, DS1, and DS3) (1 to 10) – 3 Days
- Dedicated Transport (DS0, DS1, and DS3) (11 to 20) – 5 Days
- Dedicated Transport (DS0, DS1, and DS3) (20+) and all other types – Negotiate
- BRI Loop (1 to 10) – 4Days
- BRI Loop (11 to 20) – 10 Days
- BRI Loop (20+) – Negotiate
- 8.0 dB Loops (1 to 10) – 3
- 8.0 dB Loops (11 to 20) – 7
- 8.0 dB Loops (20+) – 10
- 5.0 dB Loops (1 to 10) – 3
- 5.0 dB Loops (11 to 20) – 7
- 5.0 dB Loops (20+) – 10
- INP (1-10 Numbers) – 3 days
- INP (11-20 Numbers) – 7 days
- INP (> 20 Numbers) – 10 days

**55.1 Measurement (Totally replaces old PM 55.1)****Average Installation Interval – DSL****Definition:**

Average business days from application date to completion date for N, T, and C orders excluding customer caused misses and customer requested due date greater than the offered interval.

**Exclusions:**

- Exclude orders that are not N, T, or C.
- Excludes customer requested due dates greater than the standard offered interval
- Excludes customer caused misses.
- Excludes Weekends and Holidays.
- Excludes expedites (less than 3 days).
- Excludes Rejects for non-conformance as to PSD masks if, and only if, the CLEC requests such qualification on the LSR

**Business Rules:**

The Application Date is the day that the customer authorizes SWBT to provision the DSL based on the loop qualification. If the CLEC uses the "one-step" process (combined loop qualification request and LSR), and the loop qualification determines that the existing loop, in its current condition, meets the CLEC's specifications, SWBT will initiate the service order when the loop qualification is returned from SWBT engineering and this date will be the application date. If the loop in its current condition does not meet the CLEC's specifications, SWBT will reject the LSR back to the CLEC and wait for a supplement from the CLEC notifying SWBT of the appropriate action to take. If the CLEC supplements the LSR to order the DSL, SWBT will issue the order and the application date will be the date that SWBT receives the supplement. If the CLEC uses the "two-step" process (loop qualification performed on a pre-order basis) or waives the loop qualification for a loop that pre-qualifies as "green," SWBT will issue the order upon receipt of a valid LSR and the Application Date will be the date that SWBT receives the valid LSR. The Completion Date is the day that SWBT personnel complete the service order activity. If the CLEC has requested that Cooperative Acceptance Testing be performed on the loop, the Completion Date is the day that successful Cooperative Acceptance Testing is completed. This is reported at a circuit level.

NOTE: For all of the above scenarios, the CLEC's specifications for the loop will be considered met under the following circumstances:

- If the CLEC has specified "AS IS" on the initial LSR, the loop meets the CLEC's specifications if the loop qualification does not show that the end user's address is served exclusively by Digital Loop Carrier ("DLC").
- If the CLEC has pre-authorized conditioning on the initial LSR, the loop meets the CLEC's specifications if the loop qualification does not show that the end user's address is served exclusively by DLC. Any load coils, repeaters and/or bridged/end tap greater than or equal to 2.5 kft, revealed on the loop qualification will be removed per the requirements of the SPEC code. If the CLEC pre-authorizes conditioning, CLEC will not have to provide an additional

LSR requesting provision of the loop.	
<b>Levels of Disaggregation:</b>	
<ul style="list-style-type: none"> <li>• Loops requiring no conditioning with Line Sharing</li> <li>• Loops requiring conditioning with Line Sharing</li> <li>• Loops requiring no conditioning with no Line-Sharing</li> <li>• Loops requiring conditioning with no Line-Sharing</li> <li>• Broadband service product (Note: Additional disaggregations may be required as necessary in the future.</li> </ul>	
<b>Calculation:</b>	<b>Report Structure:</b>
$[\Sigma(\text{completion date} - \text{application date})] \div (\text{Total number of circuits completed})$	Reported for CLEC and all CLECs, SWBT or affiliate.
<b>Measurement Type:</b>	
Tier 1 – High Tier 2 – High	
<b>Benchmark:</b>	
<ul style="list-style-type: none"> <li>• Non-Conditioned Loops with no line sharing– 5 Business Days. Critical z-value applies.</li> <li>• Conditioned Loops with no line sharing – 10 Business Days. Critical z-value applies.</li> <li>• Loops with line sharing – Parity</li> </ul>	

<b>55.2 Measurement</b>
<b>Average Installation Interval for Loop With LNP</b>
<b>Definition:</b>
Average business days from the receipt of an accurate LSR to completion date for N, T, and C orders excluding customer caused misses and customer requested due date greater than "X" business days. The "X" business days is determined based on quantity of UNE loops ordered and the associated standard interval.
<b>Exclusions:</b>
<ul style="list-style-type: none"> <li>• Specials and Interconnection Trunks.</li> <li>• Excludes UNE Combinations captured in the POTS or Specials measurements.</li> <li>• Excludes orders that are not N, T, or C.</li> <li>• Excludes customer requested due dates greater than "X" business days. X is defined as follows: <ul style="list-style-type: none"> <li>Loop with LNP (1-10) – 4 business days</li> <li>Loop with LNP (11-20) – 8 business days</li> <li>Loop with LNP (&gt;20) – 11 business days</li> </ul> </li> <li>• Excludes customer caused misses.</li> <li>• Excludes Weekends and Holidays.</li> <li>• NPAC caused delays unless caused by SWBT.</li> </ul>
<b>Business Rules:</b>
<p>The start time is the date of the receipt of an accurate LSR. The Completion Date is the day that SWBT personnel complete the service order activity. If the CLEC submits the LSR prior to 3:00 p.m. the CLEC may request a 3 day interval. If the LSR is submitted after 3:00 p.m. the CLEC can request a 4 day interval. The base of items is out of WFA (Work Force Administration) and it is reported at an order level to account for different measurement standards based on the number of circuits per order.</p> <p>For partial LNP conversions that require restructuring of customer account:</p> <ul style="list-style-type: none"> <li>• 1-30 TNs: Add one additional day to the FOC interval. The LNP due date intervals will continue to be three business days and five business days from the receipt of the FOC depending on whether the NXX has been previously opened or is new.</li> <li>• &gt;30 TNs, including entire NXX: The due dates are negotiated.</li> </ul>
<b>Levels of Disaggregation:</b>
<ul style="list-style-type: none"> <li>• CHC <ul style="list-style-type: none"> <li>Loop with LNP (1-10)</li> <li>Loop with LNP (11-20)</li> <li>Loop with LNP (&gt;20)</li> </ul> </li> <li>• FDT <ul style="list-style-type: none"> <li>Loop with LNP (1-10)</li> <li>Loop with LNP (11-20)</li> <li>Loop with LNP (&gt;20)</li> </ul> </li> </ul>

Calculation:	Report Structure:
$[\sum(\text{completion date} - \text{application date})] \div (\text{Total number of orders completed})$	Reported for CLEC and all CLECs.
Measurement Type:	
Tier 1 – None Tier 2 – None	
Benchmark:	
Diagnostic	

<b>55.3 Measurement (New Measure)</b>	
Percent xDSL-capable loop orders requiring the removal of load coils and or repeaters.	
<b>Definition:</b>	
The percentage of all xDSL-capable loops, greater than 12,000 feet (based on designed loop makeup information), ordered that require the removal of load coils or repeaters to provision xDSL services.	
<b>Exclusions:</b>	
Loops under 12,000 feet	
<b>Business Rules:</b>	
The percentage of all orders for xDSL-capable loops where the removal of load coils or repeaters has been requested by the CLEC.	
<b>Levels of Disaggregation:</b>	
<ul style="list-style-type: none"> <li>Loops between 12,000 feet and 17,500 feet</li> <li>Loops over 17,500 feet</li> </ul>	
<b>Calculation:</b>	<b>Report Structure:</b>
$\frac{[\Sigma(\text{number of xDSL-capable loops requesting the removal of load coils or repeaters})]}{(\text{Total number of orders for xDSL-capable loops UNEs completed})}$	Reported for CLEC, SWBT DSL Affiliate, and all CLECs.
<b>Measurement Type:</b>	
Tier 1 – None Tier 2 – None	
<b>Benchmark:</b>	
Diagnostic only.	

<b>56. Measurement</b>	
<b>Percent (UNEs) Installations Completed Within The Customer Requested Due Date</b>	
<b>Definition:</b>	
Measure of circuits completed within the customer requested due date when that date is greater than or equal to the standard offered interval as defined in the CLEC manual or if expedited (accepted or not accepted), the date agreed to by SWBT.	
<b>Exclusions:</b>	
<ul style="list-style-type: none"> <li>• Specials and Interconnection Trunks.</li> <li>• Excludes UNE Combos captured in the POTS or Specials measurements.</li> <li>• Exclude orders that are not N, T, or C.</li> <li>• Excludes customer caused misses.</li> <li>• Excludes Weekends and Holidays</li> <li>• Excludes circuits captured in PM 56.1 (LNP With Loop)</li> </ul>	
<b>Business Rules:</b>	
The Application Date is the day that the customer initiated the service request. The Completion Date is the day that SWBT personnel complete the service order activity by circuit. For orders requiring negotiated due dates, the negotiated due date will be considered the customer requested due date. This measure includes expedites agreed to by SWBT. This measure is reported at a circuit level.	
<b>Levels of Disaggregation:</b>	
<ul style="list-style-type: none"> <li>• UNEs contained in the UNE price schedule, and/or agreed to by parties.</li> <li>• DSL loops with line Sharing</li> <li>• DSL loops with no line sharing</li> <li>• Broadband service product (Note: Additional disaggregations may be required as necessary in the future.</li> </ul>	
<b>Calculation:</b>	<b>Report Structure:</b>
Count of circuits installed within the customer requested due date ÷ total circuits) * 100	Reported for CLEC , all CLECs, and SWBT for parity measures affiliate as appropriate.
<b>Measurement Type:</b>	
Tier 1 – None	
Tier 2 – None	

**Benchmark:**

95% within the customer requested due date. The following standard offered intervals apply:

- 2 Wire Analog and Digital and INP (1-10) – 3 Days
- 2 Wire Analog and Digital and INP (11-20) – 7 Days
- 2 Wire Analog and Digital and INP (20+) – 10 Days
- BRI Loops (1-10) – 4 Days
- BRI Loops (11-20) – 10 Days
- BRI Loops (20+) – Negotiate
- DS1 loop(includes PRI) (1-10) – 3 Days
- DS1 loop(includes PRI) (11-20) – 7 Days
- DS1 loop(includes PRI) (20+) – 10 Days
- Switch Ports – Analog Port – 2 Days
- Switch Ports – BRI Port (1-50) – 3 Days
- Switch Ports – BRI Port (50+) – 5 Days
- Switch Ports – PRI Port (1-20) – 5 Days
- Switch Ports – PRI Port (20+) – 10 Days
- DS1 Trunk Port (1 to 10) – 3 Days
- DS1 Trunk Port (11 to 20) – 5 Days
- DS1 Trunk Port (20+) – ICB
- Dedicated Transport (DS0, DS1, and DS3) (1 to 10) – 3 Days
- Dedicated Transport (DS0, DS1, and DS3) (11 to 20) – 5 Days
- Dedicated Transport (DS0, DS1, and DS3) (20+) and all other types – ICB
- DSL with no Line Sharing – Non Conditioned – 5 Days
- DSL with no Line Sharing – Conditioned – 10 Days

**Parity with ASI**

- DSL with Line Sharing

90% within the customer requested due date. The following standard offered intervals apply:

- INP (1-10 Numbers) – 3 days
- INP (11-20 Numbers) – 7 days
- INP (> 20 Numbers) – 10 days



<b>56.1 Measurement</b>	
Percent Installations Completed within the Customer Requested Due Date for LNP With Loop	
<b>Definition:</b>	
Percent installations completed within the customer requested due date when that date is greater than or equal to the standard offered interval as defined in the CLEC manual or if expedited (accepted or not accepted), the date agreed to by SWBT	
<b>Exclusions:</b>	
<ul style="list-style-type: none"> <li>• Specials and Interconnection Trunks.</li> <li>• Excludes UNE Combinations captured in the POTS or Specials measurements.</li> <li>• Exclude orders that are not N, T, or C.</li> <li>• Excludes customer caused misses.</li> <li>• NPAC caused delays unless caused by SWBT.</li> </ul>	
<b>Business Rules:</b>	
See Measurement No. 55.2	
<b>Levels of Disaggregation:</b>	
<ul style="list-style-type: none"> <li>• Aggregate <ul style="list-style-type: none"> <li>➤ Loop with LNP (1-10)</li> <li>➤ Loop with LNP (11-20)</li> <li>➤ Loop with LNP (&gt;20)</li> </ul> </li> <li>• CHC – Diagnostic <ul style="list-style-type: none"> <li>➤ Loop with LNP (1-10)</li> <li>➤ Loop with LNP (11-20)</li> <li>➤ Loop with LNP (&gt;20)</li> </ul> </li> <li>• FDT – Diagnostic <ul style="list-style-type: none"> <li>➤ Loop with LNP (1-10)</li> <li>➤ Loop with LNP (11-20)</li> <li>➤ Loop with LNP (&gt;20)</li> </ul> </li> </ul>	
<b>Calculation:</b>	<b>Report Structure:</b>
Count of N, T, C orders installed within customer requested due date ÷ total N, T, C orders excluding those requested earlier than the standard offered interval) * 100	Reported for CLEC and all CLECs.
<b>Measurement Type:</b>	
Tier 1 – High Tier 2 – High	
<b>Benchmark:</b>	
95% within the customer requested due date for aggregate only. CHC and FDT are provided on a diagnostic basis and are not subject to damages or assessments.	

PM 57 HAS BEEN MOVED TO PM 1.1

<b>58. Measurement</b>	
<b>Percent SWBT Caused Missed Due Dates</b>	
<b>Definition:</b>	
Percentage of UNEs (8.0dB loops are measured at an order level) where installations are not completed by the negotiated due date.	
<b>Exclusions:</b>	
<ul style="list-style-type: none"> <li>• Specials and Interconnection Trunks.</li> <li>• Excludes UNE Combos captured in the POTS or Specials measurements.</li> <li>• Exclude orders that are not N, T, or C.</li> <li>• Excludes customer caused misses.</li> </ul>	
<b>Business Rules:</b>	
The Due Date starts the clock. The Completion Date is the day that SWBT personnel complete the service order activity, which stops the clock. If the completion date is after the Due Date, the order is flagged as a miss. This measurement is reported at a circuit level for all UNEs with the exception of 8.0dB loops, which are reported at an order level to facilitate comparison with POTS retail. This measure includes in both the numerator and the denominator the number of orders cancelled after a SWBT-caused missed due date.	
<b>Levels of Disaggregation:</b>	
<ul style="list-style-type: none"> <li>• UNEs contained in the UNE price schedule, and/or agreed to by parties including INP only.</li> <li>• DSL loops with line sharing</li> <li>• DSL loops with no line sharing</li> <li>• Broadband service product (Note: Additional disaggregations may be required as necessary in the future.</li> </ul>	
<b>Calculation:</b>	<b>Report Structure:</b>
Count of UNEs (8.0 dB loops are measured at an order level) with missed due dates excluding customer caused misses ÷ total number of UNEs (total orders for 8.0dB loops) *100	Reported by CLEC and all CLECs, SWBT or affiliates.
<b>Measurement Type:</b>	
Tier 1 – High Tier 2 – High	

<b>Benchmark:</b>	
<b>Parity:</b>	<b>Retail Comparison</b>
1. 8.0 dB Loop with Test Access and 8.0 dB Loop without Test Access (FW)	POTS (Res./Bus FW)
1a. 8.0 dB Loop with Test Access and 8.0 dB Loop without Test Access (NFW)	POTS (Res./Bus NFW)
8.0 dB Loop without Test Access (NFW)	POTS (Res./Bus NFW)
2. 5.0 dB Loop with Test Access and 5.0 dB Loop without Test Access	Parity with SWBT VGPL
3. BRI Loop with Test Access	ISDN/BRI
4. ISDN BRI Port	ISDN/BRI
5. DS1 Loop with Test Access	DS1
6. DS1 Dedicated Transport	DS1
7. Subtending Channel (23B)	DDS
8. Subtending Channel (1D)	DDS
9. Analog Trunk Port	VGPL
10. Subtending Digital Direct Combination Trunks	VGPL
11. DS3 Dedicated Transport	DS3
12. Dark Fiber	DS3
13. DSL Loops – Line Sharing	Parity with ASI – Benchmark:
14. DSL Loops – Non-Line Sharing	5%, (No critical z-value applies)

<b>59. Measurement</b>	
<b>Percent Installation Reports (Trouble Reports) Within 30 Days (I-30) of Installation</b>	
<b>Definition:</b>	
Percentage of UNEs that receive a customer trouble report within 30 calendar days of service order completion.	
<b>Exclusions:</b>	
<ul style="list-style-type: none"> <li>• Specials and Interconnection Trunks.</li> <li>•</li> <li>• Excludes UNE Combos captured in the POTS or Specials measurements.</li> <li>• Excludes trouble report received on the due date before service order completion.</li> <li>• Excludes trouble tickets that are coded to Customer Premise Equipment, Interexchange Carrier/Competitive Access Provider, and Informational</li> <li>• Excludes loops without test access - BRI</li> <li>• Excludes orders that are not N, T, or C.</li> <li>• Excludes DSL loops &gt; 12Kf with load coils, repeaters, and/or excessive bridged tap for which the CLEC has not authorized conditioning unless coded to the Central Office.</li> <li>• Excludes PTRs as defined in PM 115</li> <li>• Excludes trouble reports caused by lack of digital test capabilities on 2-wire BRI and IDSL capable loops where acceptance testing is available and not selected by the CLEC.</li> </ul>	
<b>Business Rules:</b>	
A trouble report is counted if it is received within 30 calendar days of a service order completion. UNEs are selected based on a specific service code off of the circuit ID. This measurement is reported at a circuit level. The denominator for this measure is the total count of circuits posted within the reporting month. (However, the denominator will at a minimum equal the numerator). The numerator is the number of trouble reports received within 30 calendar days of service order completion that were closed during the reporting month.	
<b>Levels of Disaggregation:</b>	
<ul style="list-style-type: none"> <li>• UNEs contained in the UNE price schedule, and/or agreed to by parties.</li> <li>• DSL loops with line Sharing</li> <li>• DSL loops with no line sharing</li> <li>• Broadband service product (Note: Additional disaggregations may be required as necessary in the future.</li> </ul>	
<b>Calculation:</b>	<b>Report Structure:</b>
(Count of UNEs that receive a customer trouble report within 30 calendar days of service order completion ÷ total UNEs ) * 100	Reported for CLEC, all CLECs, SWBT or its affiliates.

Measurement Type:	
Tier 1 – High	
Tier 2 – High	
Benchmark:	
See following:	
Parity:	Retail Comparison
1. 8.0 dB Loop with Test Access and 8.0 dB Loop without Test Access (FW/NFW)	POTS (Bus FW/NFW)
2. 5.0 dB Loop with Test Access and 5.0 dB Loop without Test Access	Parity with SWBT VGPL
3. BRI Loop with Test Access	ISDN
4. ISDN BRI Port	ISDN
5. DS1 Loop with Test Access	DS1
6. DS1 Dedicated Transport	DS1
7. Subtending Channel (23B)	DDS
8. Subtending Channel (1D)	DDS
9. Analog Trunk Port	VGPL
10. Subtending Digital Direct Combination Trunks	VGPL
11. DS3 Dedicated Transport	DS3
12. Dark Fiber	DS3
13. DSL Loops – Line Sharing	DSL Loops with line sharing
DSL Loops – No Line Sharing	6.0% (No Critical z-value applies)

<b>60. Measurement</b>	
Percent Missed Due Dates Due To Lack Of Facilities	
<b>Definition:</b>	
Percentage of UNEs (8db loops are measured at an order level) with missed committed due dates due to lack of facilities.	
<b>Exclusions:</b>	
<ul style="list-style-type: none"> <li>• Specials and Interconnection Trunks.</li> <li>• Excludes UNE Combinations captured in the POTS or Specials measurements.</li> <li>• Excludes orders that are not N, T, or C.</li> </ul>	
<b>Business Rules:</b>	
Any completion date that is greater than the due date with a SWBT lack of facilities missed reason code. This measurement is reported at a circuit level for all UNEs with the exception of 8db loops, which are reported at an order level to facilitate comparison with POTS retail.	
<b>Levels of Disaggregation:</b>	
<ul style="list-style-type: none"> <li>• UNEs contained in the UNE price schedule, and/or agreed to by parties.</li> <li>• DSL loops with line Sharing</li> <li>• DSL loops with no line sharing</li> <li>• Broadband service product (Note: Additional disaggregations may be required as necessary in the future.</li> </ul>	
<b>Calculation:</b>	<b>Report Structure:</b>
Count of UNEs (8db loops are measured at an order level) with missed committed due dates due to lack of facilities ÷ total UNEs (total orders for 8db loops) * 100	Reported by CLEC, all CLECs and SWB affiliate Reported for > 30 calendar days & > 90 calendar days.
<b>Measurement Type:</b>	
Tier 1 – None Tier 2 – None	
<b>Benchmark:</b>	
Diagnostic	

<b>6E Measurement</b>	
<b>Average Delay Days for Missed Due Dates Due To Lack Of Facilities</b>	
<b>Definition:</b>	
Average calendar days from due date to completion date on company missed UNEs (8db loops are measured at an order level) orders due to lack of facilities.	
<b>Exclusions:</b>	
<ul style="list-style-type: none"> <li>• Specials and Interconnection Trunks.</li> <li>• Excludes UNE Combinations captured in the POTS or Specials measurements.</li> <li>• Excludes orders that are not N, T, or C.</li> </ul>	
<b>Business Rules:</b>	
The calculation is the difference in calendar days between the completion date and the due date. The source is WFA (Work Force Administration) and is at an item or circuit level. UNEs are selected based on a specific service code off of the circuit ID. The lack of facilities is selected based on the missed reason code. This measurement is reported at a circuit level for all UNEs with the exception of 8db loops, which are reported at an order level to facilitate comparison with POTS retail.	
<b>Levels of Disaggregation:</b>	
<ul style="list-style-type: none"> <li>• UNEs contained in the UNE price schedule, and/or agreed to by parties.</li> <li>• DSL loops with line Sharing</li> <li>• DSL loops with no line sharing</li> <li>• Broadband service product (Note : Additional disaggregations may be required as necessary in the future)</li> </ul>	
<b>Calculation:</b>	<b>Report Structure:</b>
$\Sigma(\text{Completion date} - \text{committed UNE (8.db loops are measured at the order level) due date}) \div (\# \text{ of completed UNEs (total completed orders for 8db loops) with SWBT caused missed due dates due to lack of facilities})$	Reported for CLEC and all CLECs and SWB affiliate for UNEs contained in the UNE price schedule.
<b>Measurement Type:</b>	
Tier 1 – None Tier 2 – None	
<b>Benchmark:</b>	
Diagnostic	



62. Measurement	
Average Delay Days For SWBT Caused Missed Due Dates	
Definition:	
Average calendar days from the customer requested due date when that date is greater than or equal to the offered interval, or if expedited (accepted or not accepted), the date agreed to by SWBT which is the due date reflected on the FOC, to completion date on company missed UNEs (8.0 dB loops are measured at an order level).	
Exclusions:	
<ul style="list-style-type: none"> <li>• Specials and Interconnection Trunks.</li> <li>• Excludes UNE Combos captured in the POTS or Specials measurements.</li> <li>• Excludes orders that are not N, T, or C.</li> </ul>	
Business Rules:	
The calculation is the difference in calendar days between the completion date and the FOC due date. The Due Date is the customer requested due date when that date is greater than or equal to the offered interval. If expedited (accepted or not accepted), the Due Date is the date agreed to by SWBT, which is the due date reflected on the FOC. The data is reported at a circuit level. UNEs are selected based on a specific service code off of the circuit ID. This measurement is reported at a circuit level for all UNEs with the exception of 8.0 dB loops, which are reported at an order level to facilitate comparison with POTS retail.	
Levels of Disaggregation:	
<ul style="list-style-type: none"> <li>• UNEs contained in the UNE price schedule, and/or agreed to by parties.</li> <li>• DSL loops with line Sharing</li> <li>• DSL loops with no line sharing</li> <li>• Broadband service product (Note : Additional disaggregations may be required as necessary in the future)</li> </ul>	
Calculation:	Report Structure:
$\frac{\sum(\text{Completion date} - \text{committed UNE (8.0 dB loops are measured at the order level) due date as described in the business rules above})}{\text{\# of posted UNEs (total completed orders for 8.0 dB loops) with SWBT caused missed due dates}}$	Reported for CLEC, all CLECs, SWBT or affiliates.
Measurement Type:	
Tier 1 – Medium Tier 2 – None	

Benchmark	
Parity:	Retail Comparison
1. 8.0 dB Loop with Test Access and 8.0 dB Loop without Test Access (FW)	POTS (Res./Bus FW)
1a. 8.0 dB Loop with Test Access and 8.0 dB Loop without Test Access (NFW)	POTS (Res./Bus NFW) –
8.0 dB Loop without Test Access (NFW)	POTS (Res./Bus NFW)
2. 5.0 dB Loop with Test Access and 5.0 dB Loop without Test Access	Parity with SWBT VGPL
3. BRI Loop with Test Access	ISDN/BRI
4. ISDN BRI Port	ISDN/BRI
5. DS1 Loop with Test Access	DS1
6. DS1 Dedicated Transport	DS1
7. Subtending Channel (23B)	DDS
8. Subtending Channel (1D)	DDS
9. Analog Trunk Port	VGPL
10. Subtending Digital Direct Combination Trunks	VGPL
11. DS3 Dedicated Transport	DS3
12. Dark Fiber	DS3
13. DSL Loops – Line Sharing	DSL Loops with line sharing
DSL Loops – No Line Sharing applies)	6.5 Days (No Critical z value

63. Measurement	
Percent SWBT Caused Missed Due Dates > 30 days	
Definition:	
Percentage of UNEs (8.0 dB loops are measured at an order level) where installation was completed greater than 30 days following the due date, excluding customer caused misses.	
Exclusions:	
<ul style="list-style-type: none"> <li>• Specials and Interconnection Trunks</li> <li>• Excludes UNE Combinations captured in the POTS or Specials measurements.</li> <li>• Excludes orders that are not N, T, or C.</li> <li>• Excludes customer caused misses.</li> </ul>	
Business Rules:	
The Due Date starts the clock. The Completion Date is the day that SWBT personnel complete the service order activity, which stops the clock. If the completion date is after the Due Date, the order is flagged as a miss. This measurement is reported at a circuit level for all UNEs with the exception of 8.0dB loops, which are reported at an order level to facilitate comparison with POTS retail.	
Levels of Disaggregation:	
<ul style="list-style-type: none"> <li>• UNEs contained in the UNE price schedule, and/or agreed to by parties.</li> <li>• DSL loops with line sharing</li> <li>• DSL loops with no line sharing</li> <li>• Broadband service product (Note : Additional disaggregations may be required as necessary in the future)</li> </ul>	
Calculation	Report Structure
(Count of UNEs (8.0 dB loops are measured at an order level) completed greater than 30 days following the due date, excluding customer caused misses ÷ total number of total UNEs (total orders for 8.0 dB loops)) * 100	Reported for CLEC, all CLECs, SWBT or affiliates.
Measurement Type:	
Tier 1 – None	
Tier 2 – None	
Benchmark:	
Diagnostic	

PM 64 WAS ELIMINATED WITH THE 6 MONTH REVIEW - EFFECTIVE 7/12/00

<b>65 Measurement</b>	
<b>Trouble Report Rate</b>	
<b>Definition:</b>	
The number of customer trouble reports within a calendar month per 100 UNEs.	
<b>Exclusions:</b>	
<ul style="list-style-type: none"> <li>• Specials and Interconnection Trunks.</li> <li>• Excludes UNE Combos captured in the POTS or Specials measurements.</li> <li>• Excludes trouble tickets that are coded to Customer Premise Equipment, Interexchange Carrier/Competitive Access Provider, and Informational</li> <li>• Excludes loops without test access - BRI</li> <li>• Excludes DSL loops &gt; 12Kf with load coils, repeaters, and/or excessive bridged tap for which the CLEC has not authorized conditioning unless coded to the Central Office.</li> <li>• Excludes PTRs as defined in PM 115</li> <li>• Excludes trouble reports caused by lack of digital test capabilities on 2-wire and IDSL capable loops where acceptance testing is available and not selected by the CLEC.</li> </ul>	
<b>Business Rules:</b>	
Repair reports are entered into and tracked via WFA by trouble ticket type. Reports are counted in the month they post.	
<b>Levels of Disaggregation:</b>	
<ul style="list-style-type: none"> <li>• See PM 59</li> <li>• DSL loops with line sharing</li> <li>• DSL loops with no line sharing</li> <li>• Broadband service product (Note : Additional disaggregations may be required as necessary in the future)</li> </ul>	
<b>Calculation:</b>	<b>Report Structure:</b>
[Count of trouble reports ÷ (Total UNEs ÷ 100)]	Reported for CLEC, all CLECs and SWBT and SWB affiliates.
<b>Measurement Type:</b>	
Tier 1 – None	
Tier 2 – None	
<b>Benchmark:</b>	
See Measurement No. 59 except for	
8db loops – Parity with SWBT POTS Business	
DSL Loops with Line Sharing – Parity	
DSL Loops with no Line Sharing – 3% (No Critical z applies.)	
Broadband service product (Note : Additional disaggregations may be required as necessary in the future)	

<b>65.1 Measurement (New Measure)</b>	
<b>Trouble Report Rate net of installation and repeat reports</b>	
<b>Definition:</b>	
The number of customer trouble reports within a calendar month per 100 UNEs.	
<b>Exclusions:</b>	
<ul style="list-style-type: none"> <li>• Specials and Interconnection Trunks.</li> <li>• Excludes UNE Combos captured in the POTS or Specials measurements.</li> <li>• Excludes Customer Premise Equipment, Interexchange Carrier/Competitive Access Provider, and Informational</li> <li>• Excludes loops without test access - BRI</li> <li>• Excludes DSL loops &gt; 12Kf with load coils, repeaters, and/or excessive bridged tap for which the CLEC has not authorized conditioning unless coded to the Central Office.</li> <li>• Excludes PTRs as defined in PM 115</li> <li>• Excludes trouble reports caused by lack of digital test capabilities on 2-wire and IDSL capable loops where acceptance testing is available and not selected by the CLEC.</li> <li>• Excludes any trouble reports counted in PM 59 or PM 69.</li> </ul>	
<b>Business Rules:</b>	
Repair reports are tracked by trouble ticket type. Reports are counted in the month they post.	
<b>Levels of Disaggregation:</b>	
<ul style="list-style-type: none"> <li>• See PM 59</li> <li>• DSL loops with line sharing</li> <li>• DSL loops with no line sharing</li> <li>• Broadband service product (Note : Additional disaggregations may be required as necessary in the future)</li> </ul>	
<b>Calculation:</b>	<b>Report Structure:</b>
[Count of trouble reports ÷ (Total UNEs ÷ 100)]	Reported for CLEC, all CLECs and SWBT and SWB affiliates.
<b>Measurement Type:</b>	
Tier 1 – High Tier 2 – High	
<b>Benchmark:</b>	
See Measurement No. 59 except for  8db loops – Parity with SWBT POTS Business DSL Loops with Line Sharing – Parity DSL Loops with no Line Sharing – 3.0% (critical z-value does not apply) Broadband service product (Note : Additional disaggregations may be required as necessary in the future)	

**Maintenance**

<b>66. Measurement</b>	
<b>Percent Missed Repair Commitments</b>	
<b>Definition:</b>	
Percentage of trouble reports not cleared by the commitment time for SWBT reasons.	
<b>Exclusions:</b>	
<ul style="list-style-type: none"> <li>• Specials and Interconnection Trunks.</li> <li>• Excludes all UNE Combinations</li> <li>• Excludes trouble tickets that are coded to Customer Premise Equipment, Interexchange Carrier/Competitive Access Provider, and Informational</li> </ul>	
<b>Business Rules:</b>	
The commitment time is currently defined as 24 hours for both 8.0dB loops and DSL line sharing. If the cleared date and time minus the receive date and time > 24 hours, it counts as a trouble report that missed the repair commitment. UNEs are selected based on a specific service code off of the circuit ID. (If at such time, the contractual commitment for DSL line sharing changes, this measurement will be changed to reflect the appropriate interval.)	
<b>Levels of Disaggregation:</b>	
<ul style="list-style-type: none"> <li>• "POTS type" loops (2-Wire Analog 8.0 dB Loop) with test access.</li> <li>• DSL line sharing</li> </ul>	
<b>Calculation:</b>	<b>Report Structure:</b>
(Count of trouble reports not cleared by the commitment time for company reasons ÷ total trouble reports) * 100	Reported by CLEC, all CLECs. SWBT and SWB affiliate.
<b>Measurement Type:</b>	
Tier 1 – High Tier 2 – High	
<b>Benchmark:</b>	
Parity with SWBT POTS Business Parity with ASI for DSL line sharing	

<b>67 Measurement</b>	
<b>Mean Time To Restore</b>	
<b>Definition:</b>	
Average duration of network customer trouble reports from the receipt of the customer trouble report to the time the trouble report is cleared excluding no access and delayed maintenance.	
<b>Exclusions</b>	
<ul style="list-style-type: none"> <li>• Specials and Interconnection Trunks.</li> <li>• Excludes UNE Combos captured in the POTS or Specials measurements.</li> <li>• Excludes Customer Premise Equipment, Interexchange Carrier/Competitive Access Provider, and Informational</li> <li>• Excludes loops without test access – BRI</li> <li>• Excludes DSL loops &gt; 12Kf with load coils, repeaters, and/or excessive bridged tap for which the CLEC has not authorized conditioning unless coded to the Central Office.</li> <li>• Excludes PTRs as defined in PM 115.1</li> <li>• Excludes trouble reports caused by lack of digital test capabilities on 2-wire and IDSL capable loops where acceptance testing is available and not selected by the CLEC.</li> </ul>	
<b>Business Rules:</b>	
The start time is when the report is received. The stop time is when the report is cleared in the appropriate system (WFA for all UNEs except DSL line sharing which is captured in LMOS).	
<b>Levels of Disaggregation:</b>	
<ul style="list-style-type: none"> <li>• See Measurement No. 59</li> <li>• DSL loops with line sharing</li> <li>• DSL loops with no line sharing</li> <li>• Broadband service product (Note: Additional disaggregations may be required as necessary in the future?)</li> <li>• UNEs contained in the UNE price schedule, and/or agreed to by parties.</li> <li>• Also disaggregated by Dispatch/No Dispatch</li> </ul>	
<b>Calculation:</b>	<b>Report Structure:</b>
$\frac{\Sigma[(\text{Date and time trouble report is cleared with the customer}) - (\text{date and time trouble report is received})] \div \text{total network customer trouble reports}}$	Reported by CLEC, all CLECs and SWBT and SWB affiliate.
<b>Measurement Type:</b>	
Tier 1 – High Tier 2 – High	



**Benchmark**

See Measurement No. 59

DSL Loops with Line Sharing – Parity

DSL Loops with no Line Sharing –9.0 hours (critical z-value does not apply)

Broadband service product (Note : Additional disaggregations may be required as necessary in the future .

PM 68 WAS ELIMINATED WITH THE 6 MONTH REVIEW - EFFECTIVE 7/12/00

<b>69. Measurement</b>	
<b>Percent Repeat Reports</b>	
<b>Definition:</b>	
Percentage of customer trouble reports received within 30 calendar days of a previous customer report.	
<b>Exclusions:</b>	
<ul style="list-style-type: none"> <li>• Specials and Interconnection Trunks.</li> <li>• Excludes UNE Combos captured in the POTS or Specials measurements.</li> <li>• Excludes trouble tickets that are coded to Customer Premise Equipment, Interexchange Carrier/Competitive Access Provider, and Informational</li> <li>• Excludes loops without test access – BRI</li> <li>• Excludes DSL loops &gt; 12Kf with load coils, repeaters, and/or excessive bridged tap for which the CLEC has not authorized conditioning unless coded to the Central Office.</li> <li>• Excludes trouble reports caused by lack of digital test capabilities on 2-wire and IDSL capable loops where acceptance testing is available and not selected by the CLEC.</li> </ul>	
<b>Business Rules:</b>	
Includes customer trouble reports received within 30 calendar days of an original customer report. When the second report is received in 30 days, the original report is marked as an Original of a Repeat, and the second report is marked as a Repeat. If a third report is received within 30 days, the second report is marked as an Original of a Repeat as well as being a Repeat, and the third report is marked as a Repeat. In this case there would be two repeat reports. If either the original or the second report within 30 days is a measured report, then the second report counts as a Repeat report.	
<b>Levels of Disaggregation:</b>	
<ul style="list-style-type: none"> <li>• UNEs contained in the UNE price schedule, and/or agreed to by parties.</li> <li>• DSL loops with line sharing</li> <li>• DSL loops with no line sharing</li> <li>• Broadband service product (Note : Additional disaggregations may be required as necessary in the future)</li> </ul>	
<b>Calculation:</b>	<b>Report Structure:</b>
Count of customer trouble reports received within 30 calendar days of a previous customer report ÷ total customer trouble reports) * 100	Reported by CLEC, all CLECs, SWBT and affiliates where appropriate.
<b>Measurement Type:</b>	
Tier 1 – High Tier 2 – High	

**Benchmark:**

See Measurement No. 59

8db loops – Parity with SWBT POTS Business

DSL Loops with Line Sharing – Parity

DSL Loops with no Line Sharing – 12.0% (Critical z-value does not apply)

Broadband service product (Note : Additional disaggregations may be required as necessary in the future)

**INTERCONNECTION TRUNKS****70. Measurement****Percentage of Trunk Blockage****Definition:**

Percentage of calls blocked on outgoing traffic for alternate final (AF) and direct final (DF) trunk groups from SWBT end office to CLEC end office and from SWBT tandem to CLEC end office.

**Exclusions:**

- Excludes Weekends and Holidays
- CLECs have trunks busied-out for maintenance at their end, or have other network problems that are under their control.
- SWBT is ready for turn-up on Due Date and CLEC is not ready or not available for turn-up of trunks, e.g. not ready to accept traffic from SWBT on the due date or CLEC has no facilities or equipment at CLEC end.
- CLEC does not take action upon receipt of Trunk Group Service Request (TGSR) or ASR within 3 business days (day 0 is the business day the TGSR is emailed/faxed to the CLEC) when a Call Blocking situation is identified by SWBT or in the timeframe specified in the InterConnection Agreement (ICA).
- If CLEC does not take action upon receipt of TGSR within 10 business days (day 0 as described above) when a pre-service of 75% or greater occupancy situation is identified by SWBT for a time frame specified in the ICA.
- If CLEC fails to provide a forecast within the last six months unless a different timeframe is specified in an interconnection agreement.
- For trunks extending from the SWBT tandem to the CLEC end office designated as direct end office trunks, if CLEC's actual trunk usage for a market region, as shown by SWBT from traffic usage studies, is more than 25% above CLEC's most recent forecast for the market region, which must have been provided within the last six-months unless a different timeframe is specified in an interconnection agreement.
- For trunks extending from the SWBT end office to the CLEC end office, if CLEC's actual trunk usage for a wirecenter or end office, as shown by SWBT from traffic usage studies, is more than 25% above CLEC's most recent forecast for the wirecenter or end office, which must have been provided within the last six-months unless a different timeframe is specified in an interconnection agreement.

The exclusions do not apply if SWBT fails to timely provide CLEC with traffic utilization data reasonably required for CLEC to develop its forecast or if SWBT refuses to accept CLEC trunk orders (ASRs or TGSRs) that are within the CLEC's reasonable forecast regardless of what the current usage data is.

Business Rules	
Twenty days of data consisting of blocked calls and total calls are collected and aggregated each month.	
Levels of Disaggregation	
<ul style="list-style-type: none"> <li>The SWBT end office to CLEC end office and SWBT tandem to end office trunk blockage will be reported separately.</li> <li>By Market Region.</li> </ul>	
Calculation	Report Structure
$\left( \frac{\{\text{Count of blocked calls} - \text{excluded blocked calls}\}}{\text{total calls offered} - \{\text{excluded blocked calls}\}} \right) * 100$	Reported for CLEC and all CLECs .
Measurement Type	
Tier-1 High Tier-2 High	
Benchmark	
Blocked Calls on Dedicated Trunk Groups not to exceed blocking standard of B.01. [B.01 standard is 1%]	

<b>70.1 Measurement</b>	
<b>Trunk Blockage Exclusions</b>	
<b>Definition:</b>	
Number of calls blocked on outgoing traffic from SWBT end office to CLEC end office and from SWBT tandem to CLEC end office that are excluded from the trunk blockage data reported under PM 70.	
<b>Exclusions:</b>	
<ul style="list-style-type: none"> <li>• None</li> </ul>	
<b>Business Rules</b>	
Number of blocked calls and total calls excluded from the monthly blockage data reported under Performance Measurement 70. No penalties or liquidated damages apply. See PM 70 for list of the exclusions.	
<b>Levels of Disaggregation</b>	
<ul style="list-style-type: none"> <li>• By Market Region.</li> </ul>	
<b>Calculation</b>	<b>Report Structure</b>
Count of Excluded blocked calls	Reported for CLEC and all CLECs.
<b>Measurement Type</b>	
None	
<b>Benchmark</b>	
Diagnostic	

71. Measurement	
Common Transport Trunk Blockage	
Definition:	
Percentage of local common transport trunk groups exceeding 2%, 1% blockage.	
Exclusions:	
<ul style="list-style-type: none"> <li>No data is collected on weekends or holidays</li> </ul>	
Business Rules:	
Common transport trunk groups that reflect blocking in excess of 2% and 1% (if a separate common transport trunk group is established to carry CLEC traffic only) using a time consistent busy hour from the four most recent weeks of data.	
Levels of Disaggregation:	
<ul style="list-style-type: none"> <li>Common trunk groups where CLECs share ILEC trunks, and Common trunk groups for CLECs not shared by ILEC.</li> <li>By Market Region.</li> </ul>	
Calculation:	Report Structure:
(Number of common transport trunk groups exceeding 2%, 1% blocking ÷ total common transport trunk groups) * 100.	Reported on local common transport trunk groups.
Measurement Type:	
Tier-1	None
Tier-2	High
Benchmark:	
PUC Subst. R. 23.61(e)(5)(A) or parity, whichever allows less blocking in a given month. SWBT shall compare common trunk groups exceeding 1% blockage, reported for switch based CLECs, be compared to SWBT's dedicated trunk groups designed for B.01 standard for parity compliance.	



72. Measurement	
Distribution Of Common Transport Trunk Groups > 2%/1%.	
<b>Definition:</b>	
A distribution of trunk groups exceeding 2% reflecting the various levels of blocking.	
<b>Exclusions:</b>	
None	
<b>Business Rules:</b>	
See Measurement No. 71	
<b>Levels of Disaggregation:</b>	
By Market Region.	
<b>Calculation:</b>	<b>Report Structure:</b>
The number of trunk groups exceeding 2%/1% will be shown in histogram form based on the levels of blocking	Reported on local common transport trunk groups.
<b>Measurement Type:</b>	
Tier 1 – None Tier 2 – None	
<b>Benchmark:</b>	
Aggregate measurement. No benchmark required.	

<b>73. Measurement</b>	
<b>Percentage of Installations Completed Within the Customer Requested Due Date</b>	
<b>Definition:</b>	
Percentage of interconnection trunks completed within the customer requested due date, where the requested customer requested due date is greater than or equal to 20 days or if expedited (accepted or not accepted) the date agreed to by SWBT.	
<b>Exclusions:</b>	
CLEC Caused Misses	
<b>Business Rules:</b>	
SWBT will compare the completion date to the customer desired due date, where the requested customer requested due date is greater than or equal to 20 days or if expedited (accepted or not accepted) the date agreed to by SWBT to determine the count of missed installations. The completion date is the date the work is completed and accepted by the CLEC. The measurement is taken for all circuits that complete in the reporting period. Interconnection trunks are selected based on a specific service code off of the circuit ID. Unsolicited FOCs will not be acknowledged in calculating due dates. (i.e., if an unsolicited FOC is received by CLEC, the due date on the first FOC will still be used as the due date. Orders that are completed more than 30 days after the customer requested due date and reported as held orders under PM 73.1 also are included in reporting this measure.	
<b>Levels of Disaggregation:</b>	
<ul style="list-style-type: none"> <li>• By Market Region.</li> <li>• 911</li> <li>• OS/DA</li> <li>• SS7</li> <li>• Interconnection trunks</li> </ul>	
<b>Calculation:</b>	<b>Report Structure:</b>
(Count trunk circuits completed within the customer requested due date, where the requested customer requested due date is greater than or equal to 20 days or if expedited (accepted or not accepted) the date agreed to by SWBT ÷ total trunk circuits completed) * 100	Reported for CLEC, all CLECs and SWBT.
<b>Measurement Type:</b>	
Tier 1 – High Tier 2 – High	
<b>Benchmark:</b>	
95% within the customer requested due date or agreed to expedited interval. Critical z-value applies.	

<b>73.1 Measurement</b>	
<b>Percentage Held Interconnection Trunks</b>	
<b>Definition:</b>	
Percentage of interconnection trunk orders held greater than 30, 60 or 90 calendar days.	
<b>Exclusions:</b>	
<ul style="list-style-type: none"> <li>• Customer Caused Misses</li> </ul>	
<b>Business Rules:</b>	
<p>The Customer Desired Due Date or the 21<sup>st</sup> business day after the interconnection trunk order is received by SWBT, whichever is greater, starts the clock. The Completion Date is the day that SWBT personnel complete the service order activity and it is accepted by the CLEC, which stops the clock. The data is collected at a circuit level. Interconnection trunks are selected based on a specific service code off of the circuit ID.</p>	
<b>Levels of Disaggregation:</b>	
<ul style="list-style-type: none"> <li>• By Market Region; 30, 60 and 90 days</li> <li>• Interconnection</li> <li>• 911</li> <li>• OS/DA</li> <li>• SS7</li> </ul>	
<b>Calculation:</b>	<b>Report Structure:</b>
(Count of trunk circuits held for greater than 30, 60 or 90 calendar days ÷ total trunk circuits) * 100	Reported by CLEC, all CLECs and SWBT.
<b>Measurement Type:</b>	
Tier 1 – Medium Tier 2 – Low	
<b>Benchmark:</b>	
Parity with SWBT interconnection trunks. For purposes of damages, only applicable to trunk orders held greater than 30 days.	

74. Measurement	
Average Delay Days For Missed Due Dates – Interconnection Trunks	
Definitions:	
Average calendar days from customer requested due date where the date is greater than or equal to 20 days or if expedited (accepted or not) the date agreed to by SWBT to completion date on company missed interconnection trunk orders.	
Exclusions:	
<ul style="list-style-type: none"> <li>• Customer Caused Misses</li> </ul>	
Business Rules:	
The calculation is the difference in calendar days between the completion date (the date the CLEC accepts the circuit) and the customer requested due date where the date is greater than or equal to 20 days or if expedited (accepted or not) the date agreed to by SWBT. The data is reported at a circuit level. Interconnection Trunks are selected based on a specific service code off of the circuit ID.	
Levels of Disaggregation:	
<ul style="list-style-type: none"> <li>• By Market Region</li> <li>• Interconnection</li> <li>• 911</li> <li>• OS/DA</li> <li>• SS7.</li> </ul>	
Calculation:	Report Structure:
$\Sigma$ (Completion date – customer requested due date where the date is greater than or equal to 20 days or if expedited (accepted or not) the date agreed to by SWBT) ÷ (# of completed trunk circuits with missed Due Dates)	Reported by CLEC, all CLECs and SWBT.
Measurement Type:	
Tier 1 – Low Tier 2 – None	
Benchmark:	
Parity	

PM 75 WAS ELIMINATED WITH THE 6 MONTH REVIEW - EFFECTIVE 7/12/00

<b>76: Measurement</b>	
<b>Average Trunk Restoration Interval – Interconnection Trunks</b>	
<b>Definition:</b>	
Average time to repair interconnection trunks. This measure is based on calendar days.	
<b>Exclusions:</b>	
<ul style="list-style-type: none"> <li>• Excludes non-measured tickets (CPE, Interexchange, or Information).</li> <li>• No access delayed maintenance.</li> </ul>	
<b>Business Rules:</b>	
The data is reported at a circuit level. Interconnection Trunks are selected based on the circuit being identified as a message type circuit. Start time is when the CLEC reports trouble and stop time is when SWBT notifies the CLEC of service restoral.	
<b>Levels of Disaggregation:</b>	
<ul style="list-style-type: none"> <li>• By Market Region.</li> <li>• 911</li> <li>• OS/DA</li> <li>• SS7</li> <li>• Interconnection Trunks</li> </ul>	
<b>Calculation:</b>	<b>Report Structure:</b>
Total trunk outage duration ÷ total trunk trouble reports	Reported by CLEC, all CLECs and SWBT.
<b>Measurement Type:</b>	
Tier 1 – Low Tier 2 – None	
<b>Benchmark:</b>	
Parity	

<b>7.7 Measurement</b>	
Average Trunk Restoration Interval for Service Affecting Trunk Groups	
<b>Definition:</b>	
The average time to restore service affecting trunk groups (measured tickets only).	
<b>Exclusions:</b>	
Customer Caused Outages	
<b>Business Rules:</b>	
Service affecting is defined as 20% of a trunk group out-of-service that causes trunk group blockage. The clock starts on receipt of a trouble ticket from the CLEC that identifies a service affecting condition. The clock stops after completion of work by SWBT.	
<b>Levels of Disaggregation:</b>	
<ul style="list-style-type: none"> <li>• Tandem trunk groups</li> <li>• Non-Tandem trunk groups</li> <li>• By Market Region</li> <li>• 911</li> <li>• OS/DA</li> <li>• SS7</li> <li>• Interconnection Trunks</li> </ul>	
<b>Calculation:</b>	<b>Report Structure:</b>
Total trunk group outage time / total trunk group trouble reports	Reported by CLEC, all CLECs .
<b>Measurement Type:</b>	
Tier 1 – High	
Tier 2 – High	
<b>Benchmark:</b>	
Tandem trunk groups – 1 hour / Non-Tandem – 2 hours.	

PM 78 WAS ELIMINATED WITH THE 6 MONTH REVIEW - EFFECTIVE 7/12/00



**DIRECTORY ASSISTANCE (DA) AND OPERATOR SERVICES (OS)**

PM 79 WAS ELIMINATED WITH THE 6 MONTH REVIEW - EFFECTIVE 7/12/00

<b>80. Measurement</b>	
Directory Assistance Average Speed Of Answer	
<b>Definition:</b>	
The average time a customer is in queue.	
<b>Exclusions:</b>	
None	
<b>Business Rules:</b>	
The clock starts when the customer enters the queue and the clock stops when a SWBT representative answers the call or the customer abandons the call. The length of each call is determined by measuring and accumulating the elapsed time from the entry of a CLEC customer call into the SWBT call management system queue until the CLEC customer call is transferred to SWBT personnel assigned to handling CLEC calls for assistance during hours of operation.	
<b>Level of Disaggregation:</b>	
None	
<b>Calculation:</b>	<b>Report Structure:</b>
Total queue time ÷ total calls answered	Reported for the aggregate of SWBT and CLECs.
<b>Measurement Type:</b>	
Tier 1 – None Tier 2 – Low	
<b>Benchmark:</b>	
PUC SUBST. Rule 23.61.e (3)(A)(iii) (5.9 second average) Critical z-value does not apply.	

PM 81 WAS ELIMINATED WITH THE 6 MONTH REVIEW - EFFECTIVE 7/12/00

<b>82. Measurement</b>	
<b>Operator Services Speed Of Answer</b>	
<b>Definition:</b>	
The average time a customer is in queue.	
<b>Exclusions:</b>	
None	
<b>Business Rules:</b>	
The clock starts when the customer enters the queue and the clock stops when a SWBT representative answers the call or the customer abandons the call. The length of each call is determined by measuring and accumulating the elapsed time from the entry of a CLEC customer call into the SWBT call management system queue until the CLEC customer call is transferred to SWBT personnel assigned to handling CLEC calls for assistance during hours of operation.	
<b>Levels of Disaggregation:</b>	
None	
<b>Calculation:</b>	<b>Report Structure:</b>
Total queue time ÷ total calls answered.	Reported for the aggregate of SWBT and CLECs.
<b>Measurement Type:</b>	
Tier 1 – None Tier 2 – Low	
<b>Benchmark:</b>	
PUC SUBST. Rule 23.61.e (3)(A)(1) (3.3 second average) Critical z-value does not apply.	

PM 83 WAS ELIMINATED WITH 6 MONTH REVIEW - EFFECTIVE 7/12/00

PM 84 WAS ELIMINATED WITH THE 6 MONTH REVIEW - EFFECTIVE 7/12/00

PM 85 WAS ELIMINATED WITH THE 6 MONTH REVIEW - EFFECTIVE 7/12/00

PM 86 WAS ELIMINATED WITH THE 6 MONTH REVIEW - EFFECTIVE 7/12/00



**INTERIM NUMBER PORTABILITY (INP)**

**PM 87 WAS ELIMINATED WITH THE 6 MONTH REVIEW - EFFECTIVE 7/12/00**

PM 88 WAS ELIMINATED WITH THE 6 MONTH REVIEW - EFFECTIVE 7/12/00

PM 89 WAS ELIMINATED WITH THE 6 MONTH REVIEW - EFFECTIVE 7/12/00

PM 90 WAS ELIMINATED WITH THE 6 MONTH REVIEW - EFFECTIVE 7/12/00

## LOCAL NUMBER PORTABILITY (LNP)

<b>91. Measurement:</b>	
Percentage of LNP Only Due Dates within Industry Guidelines	
<b>Definition:</b>	
Percentage of LNP Due Date interval that meets the industry standard established by the North American Numbering Council (NANC).	
<b>Exclusions:</b>	
<ul style="list-style-type: none"> <li>CLEC or Customer caused or requested delays.</li> <li>NPAC caused delays unless caused by SWBT.</li> </ul>	
<b>Business Rules:</b>	
<p>Industry guidelines for due dates for LNP are as follows:</p> <ul style="list-style-type: none"> <li>For Offices in which NXXs are previously opened – 3 Business Days.</li> <li>New NXX – 5 Business days on LNP capable NXX.</li> </ul> <p>The above-noted due dates are from the date of the FOC receipt.</p> <p>For partial LNP conversions that require restructuring of customer account:</p> <ul style="list-style-type: none"> <li>1-30 TNs: Add one additional day to the FOC interval. The LNP due date intervals will continue to be three business days and five business days from the receipt of the FOC depending on whether the NXX has been previously opened or is new.</li> <li>&gt;30 TNs, including entire NXX: The due dates are negotiated.</li> </ul>	
<b>Levels of Disaggregation:</b>	
NXXs previously opened and NXX new ( 1-30 TNs and greater than 30 TNs)	
<b>Calculation:</b>	<b>Report Structure:</b>
(Count of LNP TNs implemented within Industry guidelines ÷ total number of LNP TNs ) *100	Reported by CLEC and all CLECs.
<b>Measurement Type:</b>	
Tier 1 – None Tier 2 – None	
<b>Benchmark:</b>	
96.5%. The benchmark will be revised either up or down if industry guidelines are established that are different than the objective stated here. Critical z-value does not apply.	

<b>92. Measurement:</b>	
Percentage of Time the Old Service Provider Releases the Subscription Prior to the Expiration of the Second 9 Hour (T2) Timer	
<b>Definition:</b>	
Percentage of time the old service provider releases subscription(s) to NPAC within the first (T1) or the second (T2) 9-hour timers.	
<b>Exclusions:</b>	
<ul style="list-style-type: none"> <li>• Customer caused or requested delays.</li> <li>• NPAC caused delays unless caused by SWBT.</li> <li>• Cases where SWBT did the release but the New Service Provider did not respond prior to the expiration of the T2 timer. This sequence of events causes the NPAC to send a cancel of SWBT's release request. In these cases, SWBT may have to re-work to release the TN so it can be ported to meet the due date.</li> </ul>	
<b>Business Rules:</b>	
Number of LNP TNs for which subscription to NPAC was released prior to the expiration of the second 9-hour (T2) timer.	
<b>Levels of Disaggregation:</b>	
None	
<b>Calculation:</b>	<b>Report Structure:</b>
(Number of LNP TNs for which subscription to NPAC was released prior to the expiration of the second 9-hour (T2) timer ÷ total number of LNP TNs for which the subscription was released) *100	Reported by CLEC and all CLECs.
<b>Measurement Type:</b>	
Tier 1 – None Tier 2 – None	
<b>Benchmark:</b>	
96.5%. The benchmark will be revised either up or down if industry guidelines are established that are different than the objective stated here. Critical z-value does not apply.	

93. Measurement:	
Percentage of Customer Account Restructured Prior to LNP Due Date	
Definition:	
Percentage of accounts restructured within the LNP order due date established in Measurement No. 91, and/or negotiated due date for orders that contain more than 30 TNs.	
Exclusions:	
None	
Business Rules:	
See Measurement No. 91	
Levels of Disaggregation:	
None	
Calculation:	Report Structure:
(Number of LNP orders for which customer accounts were restructured prior to LNP due date) ÷ (total number of LNP orders that require customer accounts to be restructured) *100	Reported by CLEC and all CLECs.
Measurement Type	
Tier 1 – Low Tier 2 – None	
Benchmark:	
96.5% Critical z-value applies.	

PM 94 WAS ELIMINATED WITH THE 6 MONTH REVIEW - EFFECTIVE 7/12/00



PM 95 WAS ELIMINATED WITH THE 6 MONTH REVIEW - EFFECTIVE 7/12/00

96 Measurement	
Percentage Pre-mature Disconnects for Stand alone LNP Orders	
Definition:	
Percentage of Stand Alone LNP telephone numbers where SWBT disconnects the customer (e.g. switch translations are removed) prior to the scheduled start time.	
Exclusions:	
<ul style="list-style-type: none"> <li>Stand alone LNP telephone numbers where the CLEC requests that the cut-over begin prior to the scheduled time.</li> <li>Change of the Due Date by the CLEC less than four business hours prior to the scheduled Date/Time</li> <li>Stand alone LNP telephone numbers where SWBT disconnects <math>\leq 10</math> minutes of the scheduled start time</li> </ul>	
Business Rules:	
A premature disconnect occurs any time SWBT begins the cut-over more that 10 minutes prior to the scheduled start time.	
Levels of Disaggregation:	
None.	
Calculation:	Report Structure:
Count of prematurely disconnected Stand Alone LNP telephone numbers $\div$ total Stand Alone LNP telephone numbers * 100	Reported by CLEC and all CLECs
Measurement Type:	
Tier 1 – High Tier 2 – High	
Benchmark:	
$\leq 2\%$ premature disconnects. Critical z-value applies.	